



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

### List of brackets for tractors.

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
1	<b>ArmaTrac</b>	1254 Lux CRD4 (with front PTO and linkage)	Ł-106 A	1650	3,6
2	<b>Belarus/MTZ</b>	320.4	Ł-103 Medium	400	2,2
3		422.4	Ł-107	800	3,0
4		82, 82.1, 820, 820.1, 820.2, 820.3,	Ł-106	1650	3,4
5		892, 892.1, 892.2, 892.3	Ł-106	1650	3,4
6		920, 920.1, 920.2, 952, 952.1, 952.2	Ł-106	1650	3,4
7		920.3, 920.4, 952.3, 952.4,	Ł-106 A	1650	3,6
8		1025, 1025.1, 1025.2, 1025.3, 1025.4	Ł-106 A	1650	3,6
9		1221, 1221.1, 1221.2, 1221.3, 1221.4	Ł-108	1650	4,0
10		<b>Case</b>	<b>CX:</b> 80, 90, 100	Ł-106	1650
11	<b>Farmall A :</b> 65A, 75 A (engine 4 cyl.)		Ł-104	1200	3,25
12	<b>Farmall A:</b> 85 A, 95 A, 105 A, 115 A		Ł-106	1650	3,4
13	<b>JX :</b> 60, 70 (engine 3 i 4 cyl.)		Ł-104	1200	3,25
14	<b>JX:</b> 80, 90, 95		Ł-106	1650	3,4
15	<b>JXU :</b> 1070, 1080, 1090, 1100, 75, 85, 95, 105, 115		Ł-106	1650	3,4
16	<b>Maxxum :</b> 100, 110		Ł-106 A	1650	3,6
17	<b>Maxxum :</b> 115, 125, 140		Ł-108	1650	4,0
18	<b>MX:</b> 100, 110, 120, 135		Ł-108	1650	4,0
19	<b>5130, 5140, 5150</b> Maxxum		Ł-106 A	1650	3,6
20	<b>Chery</b>	<b>RD 254</b>	Ł-103 Medium	400	2,2
21		<b>RK 504</b>	Ł-103 Long	600	2,5
22			Ł-107	800	3,0
23	<b>Deutz Fahr</b>	<b>Agrokid:</b> 220, 230	Ł-103 Medium	400	2,2
24		<b>Agrolux :</b> 310, 320, 65, 75 ( ROPS and with Naglak cabin)	Ł-107A	1000	3,25
25		<b>Agrolux :</b> 410 ( ROPS and with Naglak cabin )	Ł-107A	1000	3,25
26		<b>Agroplus :</b> 67 DT, 80 DT	Ł-104	1200	3,25
27		<b>Agroplus F:</b> 310F, 315 F	Ł-107	800	3,0
28		<b>Agroplus:</b> 87	Ł-106	1650	3,4
29		<b>Agroplus :</b> 310, 315 , 320	Ł-104	1200	3,25
30		<b>Agroplus :</b> 410, 420	Ł-104	1200	3,25
31		<b>Agroplus Ecoline :</b> 310 , 315, 320	Ł-104	1200	3,25
32		<b>Agrofarm:</b> 410 DT, 85 DT	Ł-106	1200	3,4
33		<b>Agrofarm :</b> 420 DT, 430 DT, 100 DT	Ł-106 A	1650	3,6
34		<b>Agrofarm G :</b> 410 , 430	Ł-106 A	1650	3,6
35		<b>Agrotron K :</b> 410, 420, 100	Ł-106 A	1650	3,6
36		<b>Agrotron K:</b> 610, 110	Ł-108	1650	4,0
37		<b>Agrotron M:</b> 600, 610 ,615, 620	Ł-108	1650	4,0
38		<b>4E:</b> 4070E, 4080E, 4090E, 4100E	Ł-107A	1000	3,25
39		( ROPS and with Naglak cabin)	Ł-104	1200	3,25
40		<b>5C :</b> 5090C, 5100C, 5110C,5120C,	Ł-106 A	1650	3,6
41		<b>5D:</b> 5085D	Ł-104	1200	3,25
42		<b>5D Ecoline:</b> 5080 Ecoline, 5090 Ecoline	Ł-104	1200	3,25
43		<b>5D Keyline:</b> 5070 D Keyline, 5080 D Keyline, 5090 D Keyline, 5100 D Keyline	Ł-107A	1000	3,25
44		<b>5G HD:</b> 5090.4, 5105.4, 5115.4	Ł-106 A	1650	3,6
45		<b>5G MD:</b> 5090.4, 5105.4, 5115.4	Ł-106 A	1650	3,6
46		<b>5G T4F:</b> 5100G, 5110G, 5110 G Plus, 5120 G	Ł-106 A	1650	3,6
47		<b>5 (T4i) :</b> 5100, 5110, 5120, 5130	Ł-106 A	1650	3,6
48		<b>5 T4F :</b> 5105, 5115, 5125	Ł-106 A	1650	3,6
49		<b>6130.4</b>	Ł-106A	1650	3,6
50		<b>5100.4</b>	Ł-104	1200	3,25
51		<b>Agrotron 6165</b>	Ł-108	1650	4,0

We produce front loaders for all tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
52	<b>Dong Feng</b>	254G2	Ł-103 Medium	400	2,2
53		404G2	Ł-103 Medium	400	2,2
54		504G3	Ł-103 Long	600	2,5
55	<b>Farmer</b>	8244 C2	Ł-106	1650	3,4
56	<b>Farmtraac</b>	22 4WD, 26 4WD, 30 4WD (ROPS and with Bartesko and SANAYI VRM13 cabin)	Ł-103 Short	300	1,8
57		26H 4WD (ROPS and with SANAYI VRM13 cabin)	Ł-103 Short	300	1,8
58		555, 555DT, <b>Escort</b> : 550, 550DT	Ł-103 Long	600	2,5
59		555 <b>DTC</b>	Ł-107	800	3,0
60		535, 545, 545DT, 555, 555DT, <b>Escort</b> :550, 550DT	Ł-107	800	3,0
61		665, 665DT, 70 2WD, 70 4WD,	Ł-104	1200	3,25
62		<b>Heritage</b> : 6050DT, 6060DT, 6075DT	Ł-107 A	1000	3,25
63		<b>Heritage</b> 6050 C	Ł-107 A	1000	3,25
64		670, 670DT,	Ł-104	1200	3,25
65		675 DT KING, 675DT, 675, 80 2WD, 80 4WD,	Ł-104	1200	3,25
66		FT 670 DT IIIB, FT 675 DT IIIB	Ł-104	1200	3,25
67		685DT , 690DT	Ł-106	1650	3,4
68		685DT IIIB, 690DT IIIB	Ł-106	1650	3,4
69		690DT IIIB PWR	Ł-106	1650	3,4
70		7100DT, 7110DT,	Ł-106 A	1650	3,6
71	7100DT IIIB, 7110DT IIIB	Ł-106 A	1650	3,6	
72	9120 DTN	Ł-106 A	1650	3,6	
73	<b>Foton</b>	<b>TE</b> 254	Ł-103 Medium	400	2,2
74		<b>TE</b> 354	Ł-103 Medium	400	2,2
75		<b>TB</b> 504, <b>TB</b> 404	Ł-107	800	3,0
76		<b>TB</b> 504, <b>TB</b> 404	Ł-103 Long	600	2,5
77		604, 704	Ł-104	1200	3,25
78		824, 904	Ł-106	1650	3,4
79	<b>Iseki</b>	<b>TG</b> 6490	Ł-103 Medium	400	2,2
80	<b>Hattat</b>	<b>A</b> : 90, 100, 110	Ł-106	1650	3,4
81	<b>John Deere</b>	<b>3E</b> : 3036 E, 3038E (ROPS and with Naglak cabin)	Ł-103 Medium	400	2,2
82		<b>M</b> : 5070M , 5080M , 5090M , 5100M (made in Germany)	Ł-106	1650	3,4
83		<b>R</b> : 5080R , 5090R , 5100R (made in Germany)	Ł-106	1650	3,4
84		<b>5M</b> : 5085M, 5100M, 5115M (made in USA)	Ł-106A	1000	3,25
85		<b>5R</b> : 5090R, 5100R, 5115R, 5125R (made in USA)	Ł-106	1650	3,4
86		<b>5E</b> : 5050E, 5055E , 5065E , 5075E	Ł-107 A	1000	3,25
87		(model mechanical dry clutch)	Ł-104	1200	3,25
88		<b>5E</b> : 5058E , 5067E , 5075E	Ł-107 A	1000	3,25
89		(model 2017 wet clutch)	Ł-104	1200	3,25
90		<b>5E</b> : 5083E , 5093E	Ł-106	1650	3,6
91		<b>6D</b> : 6100D, 6115D, 6130D	Ł-106 A	1650	3,6
92		<b>6M</b> : 6105 M, 6115M, 6125M (Model 2013)	Ł-106 A	1650	3,6
93		<b>6M</b> : 6110M. 6120M, 6130M (Model 2015)	Ł-106 A	1650	3,6
94		<b>6M</b> : 6090M, 6100 M, 6110M. 6120M (Model 2020)	Ł-106 A	1650	3,6
95		<b>6 MC</b> : 6090MC , 6100MC , 6110MC <b>6 RC</b> : 6090RC , 6100RC , 6110RC	Ł-106 A	1650	3,6
96		6020, 6120, 6220, 6320, 6420	Ł-106 A	1650	3,6
97	5620, 5720, 5820	Ł-106	1650	3,4	
98	<b>6030 4 cyl</b> : 6130, 6230, 6330, 6430	Ł-106 A	1650	3,6	
99	<b>6030 6 cyl.:</b> 6530, 6630, 6830, 6930	Ł-108	1650	4,0	
100		Ł-110	2800	4,4	
101		Ł-108	1650	4,0	
102	6520, 6620, 6920,	Ł-110	2800	4,4	



No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
103	<b>John Deere</b>	<b>7030 6 cyl:</b> 7430, 7530	Ł-108	1650	4,0
104			Ł-110	2800	4,4
105		6155M	Ł-108	1650	4,0
106		6175R, 6195R	Ł-110	2800	4,4
107		6175M, 6195M	Ł-110	2800	4,4
108	<b>Kioti</b>	<b>CK 2810</b>	Ł-103 Short	200	1,7
109		<b>CS 2610</b>	Ł-103 Short	200	1,7
110		<b>DK 4510</b>	Ł-103 Short	300	1,8
111		<b>DK 4510 with front linkage</b>	Ł-103 Short	400	2,2
112		<b>RX 60.10</b>	Ł-107	800	3,0
113		<b>NX 6010</b>	Ł-107	800	3,0
114	<b>Kubota</b>	<b>B 1620, B 1820( ROPS and Naglak cabin)</b>	Ł-103 Short	200	1,7
115		<b>B1 161, B1 181 (ROPS, Naglak and Bartesko cabin)</b>	Ł-103 Short	200	1,7
116		<b>B 2420 (ROPS)</b>	Ł-103 Short	300	1,8
117		<b>B 1241(ROPS and Naglak cabin)</b>	Ł-103 Short	300	1,8
118		<b>B 2350 HDB, B 2650 HDB</b>	Ł-103 Short	300	1,8
119		<b>B2231DB, B2261DB</b>	Ł-103 Short	300	1,8
120		<b>BX 2350 (ROPS and Bartesko cabin)</b>	Ł-103 Short	200	1,7
121		<b>BX: 231,261 (ROPS and Bartesko cabin)</b>	Ł-103 Short	200	1,7
122		<b>L1-245</b>	Ł-103 Short	300	1,8
123		<b>L1-18</b>	Ł-103 Short	300	1,8
124		<b>L 3200</b>	Ł-103 Medium	400	2,2
125		<b>L 1 361 (rear ROPS and Bartesko cabin)</b>	Ł-103 Medium	400	2,2
126		<b>L1 421 (Naglak cabin)</b>	Ł-107	800	3,0
127		<b>L1 501 (Naglak cabin)</b>	Ł-107	800	3,0
128		<b>L2 501(Naglak cabin)</b>	Ł-107	800	3,0
129		<b>L2 602 (Kubota cabin)</b>	Ł-107	800	3,0
130		<b>L5030, L 5040 (Naglak cabin)</b>	Ł-107	800	3,0
131		<b>MK 5000</b>	Ł-107	800	3,0
132		<b>M Narrow: 7040</b>	Ł-107	800	3,0
133		<b>M 5 Narrow : M5071N, M5091N, M5101N</b>	Ł-107A	1000	3,25
134		<b>M: 6060, 7060, 6040, 7040 (Kubota , Bartesko and Naglak cabin)</b>	Ł-104	1200	3,25
135		<b>M: 8560, 9960, 8540, 9540</b>	Ł-106	1650	3,4
136		<b>M: 105 S, 108 S</b>	Ł-106	1650	3,4
137		<b>MGX: 110</b>	Ł-106	1650	3,4
138		<b>MGX: 135</b>	Ł-106A	1650	3,6
139		<b>MGX - III: 115, 125, 135</b>	Ł-106A	1650	3,6
140		<b>MGX - IV: 95, 105</b>	Ł-106A	1650	3,6
141		<b>Me: 8200, 9000</b>	Ł-104	1200	3,25
142		<b>M 4002: M4062, M4072</b>	Ł-104	1200	3,25
143		<b>M 5001: M5091, M5111</b>	Ł-106	1650	3,4
144		<b>M 7001: M7131, M7151, M7171</b>	Ł-110 Pro	2800	4,4
145		<b>M 7002: M7132, M7152, M7172</b>	Ł-110 Pro	2800	4,4
146		<b>LTZ T40</b>	Ł-107A	1000	3,25
147	<b>Lamborghini</b>	<b>Crono: 70, 80, 90, 100</b>	Ł-107A	1000	3,25
148		<b>Grand Prix : 90 DT, 95</b>	Ł-106	1650	3,4
149		<b>Lampo: 55W, 70W, 60D, 70D</b>	Ł-104	1200	3,25
150		<b>Nitro R: 90,100,110, 120</b>	Ł-106 A	1650	3,6



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]	
151	Lamborghini	<b>R2:</b> 60, 80	Ł-104	1200	3,25	
152		<b>Rekord:</b> 65, 75 (ROPS and Naglak cabin)	Ł-107A	1000	3,25	
153		<b>R2 Target:</b> 56, 66	Ł-104	1200	3,25	
154		<b>R2 Target:</b> 76,86	Ł-106	1650	3,4	
155		<b>R3 EVO:</b> 85, 100, 110	Ł-106	1650	3,4	
156		<b>R3:</b> 90,100	Ł-106 A	1650	3,6	
157		<b>R6:</b> 100, 110	Ł-106 A	1650	3,6	
158		<b>R6:</b> 130, 140	Ł-106 A	1650	3,6	
159		<b>Strike HD:</b> 90.4, 105.4,115.4	Ł-106 A	1650	3,6	
160		<b>Strike MD:</b> 90.4, 105.4, 115.4	Ł-106 A	1650	3,6	
161		<b>Strike 4F:</b> 100 MD, 110 MD, 110 HD, 120 HD	Ł-106 A	1650	3,6	
162	Landini	<b>Mistral :</b> 50	Ł-103 Medium	400	2,2	
163		<b>Mistral :</b> 55	Ł-103 Medium	400	2,2	
164		<b>Powerfarm:</b> 60, 75	Ł-104	1200	3,25	
165		<b>Powerfarm:</b> 100DT,110DT	Ł-106	1650	3,4	
166		<b>Powerfarm:</b> 80DT, 85DT, 90DT, 95DT, 105DT	Ł-106	1650	3,4	
167		<b>Powermundial :</b> 110, 115	Ł-106 A	1650	3,6	
168		<b>Rex:</b> 70F, 80F	Ł-107	800	3,0	
169		<b>Technofarm:</b> 70, 80		Ł-104	1200	3,25
170				Ł-107A	1000	3,25
171			<b>Vision:</b> 85, 95,105	Ł-106	1650	3,4
172			<b>6L:</b> 6L-145, 6L-160, 6L-175,	Ł-106A	1650	3,6
173		<b>5H:</b> 080, 090, 100, 110,115	Ł-106	1650	3,4	
174		Lovol	M 504, TB 504	Ł-107	800	3,0
175	Ł-103 Long			600	2,5	
176	M 354, M 254	Ł-103 Medium	400	2,2		
177	LS	<b>J :</b> 23,27 HST	Ł-103 Short	300	1,8	
178		<b>R 38</b>	Ł-103 Medium	400	2,2	
179		<b>R 41</b>	Ł-103 Medium	400	2,2	
180		<b>XR 50, XR 50 HST</b>	Ł-103 Medium	400	2,2	
181	Mitsubishi	<b>MT1800</b>	Ł-103 Short	300	1,8	
182		<b>MT2000</b>	Ł-103 Short	300	1,8	
183		<b>MT36</b>	Ł-103 Short	400	2,2	
184	Massey Ferguson	4445, 4455	Ł-106	1650	3,4	
185		3060, 3065	Ł-106	1650	3,4	
186		3070	Ł-106	1650	3,4	
187		5460	Ł-106 A	1650	3,6	
188		6170	Ł-108	1650	4,0	
189	McCormick	<b>CL :</b> 65, 75 , 70, 80	Ł-104	1200	3,25	
190		<b>CXL:</b> 65, 75, 85	Ł-104	1200	3,25	
191		<b>CXL :</b> 70, 80	Ł-107A	1000	3,25	
192			Ł-104	1200	3,25	
193		<b>CMax:</b> 60, 75	Ł-104	1200	3,25	
194		<b>CMax:</b> 80, 85, 90, 95, 105	Ł-106	1650	3,4	
195		<b>CMax:</b> 100, 110	Ł-106	1650	3,4	
196		<b>CX:</b> 90, 95, 100, 105	Ł-106	1650	3,4	
197		<b>CX:</b> 110	Ł-106 A	1650	3,6	
198		<b>F:</b> 70, 80, 90 (wersja z 1 zbiornikiem paliwa)	Ł-107	800	3,0	
199		<b>GM :</b> 50	Ł-103 Medium	400	2,2	
200		<b>GM :</b> 55	Ł-103 Medium	400	2,2	

We produce front loaders for all tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
201	McCormick	<b>GMax:</b> 125, 135	Ł-106 A	1650	3,6
202		<b>GMax:</b> 145, 165	Ł-108	1650	4,0
203		<b>MC :</b> 115	Ł-106	1650	3,4
204		<b>MC :</b> 120, 135	Ł-108	1650	4,0
205		<b>MTX Beta Power:</b> 120, 135, 150	Ł-108	1650	4,0
206		<b>X4:</b> 4.35, 4.50, 4.60, 4.70	Ł-106	1650	3,4
207		<b>X 60:</b> 60.20, 60.30, 60.40, 60.50	Ł-106 A	1650	3,6
208	New Holland	<b>Boomer :</b> 20, 25	Ł-103 Short	300	1,8
209		<b>Boomer:</b> 30, 35	Ł-103 Medium	400	2,2
210		<b>Boomer:</b> 40, 50	Ł-103 Medium	400	2,5
211		<b>Boomer 50 TMR</b>	Ł-103 Medium	400	2,5
212		<b>T 3000:</b> T 3020, T 3030, T 3040	Ł-103 Medium	400	2,2
213		<b>T3. F:</b> T3.50F, T3.55F, T3.65F, T375F	Ł-103 Medium	400	2,2
214		<b>T :</b> T 4020, T 4030, T 4040, T 4050	Ł-104	1200	3,25
215		<b>T :</b> T 5030, T 5040, T 5050, T 5060, T 5070	Ł-106	1650	3,4
216		<b>T:</b> T 6010, T 6020 ( <b>Delta / Plus</b> )	Ł-106 A	1650	3,6
217		<b>T :</b> T 6030, T 6050	Ł-108	1650	4,0
218		<b>T :</b> T 6030, T 6050, T 6070 <b>Plus</b>	Ł-108	1650	4,0
219		<b>TD :</b> TD 60, TD70 ( <b>D i D PLUS</b> )	Ł-104	1200	3,25
220		<b>TD:</b> TD 80 ,TD 85, TD 90, TD 95 ( <b>D i D PLUS</b> )	Ł-106	1650	3,4
221		<b>TD F:</b> TD4020F, TD4030F, TD4040F (ROPS and Koja cabin)	Ł-107	800	3,0
222		<b>TD.4F:</b> TD4.80F, TD4.90F, TD4.100F	Ł-107	800	3,0
223		<b>TD :</b> 5010, 5020	Ł-104	1200	3,25
224		<b>TD :</b> 5030, 5040, 5050	Ł-106	1650	3,4
225		<b>TD 3.50</b> model 2007 and 2015	Ł-107	800	3,0
226		<b>TD 5.:</b> 65,75	Ł-104	1200	3,25
227		<b>TD 5.:</b> 85, 95, 105, 115 Tier IVA	Ł-106	1650	3,4
228		<b>TL :</b> TL80, TL90, TL100	Ł-106	1650	3,4
229		<b>TLA:</b> TL80A, TL90A, TL 100A	Ł-106 A	1650	3,6
230		<b>TM:</b> 120, 125, 140	Ł-108	1650	4,0
231		<b>TT:</b> 55; 65, 75	Ł-107	800	3,0
232		<b>T4S:</b> 55S, 65S, 75S	Ł-107A	1000	3,25
233		<b>T4</b> (Power Star Tier 4B): T4.55, T4. 65, T4.75	Ł-104	1200	3,25
234		<b>T4.</b> (Power Star Tier 3 i Tier 4A):T4.75,T4.85,T4. 95	Ł-104	1200	3,25
235		<b>T4.:</b> 75, 85, 95,105 (HiLo)	Ł-106	1650	3,4
236		<b>T4. F i N:</b> 75, 85	Ł-107	800	3,0
237		<b>T4.N IVA:</b> T4.80N, T4.90N, T4.100N, T4.110N	Ł-107A	1000	3,25
238		<b>T5 Electro Command :</b> T5.100, T5.110, T5.120	Ł-106 A	1650	3,6
239		<b>T5 :</b> T5.95, T5.105,T5.115	Ł-106 A	1650	3,6
240		<b>T5 Utility:</b> T5.75,T5.85, T5.95, T5.105, T5.115 (welded front axel)	Ł-106	1650	3,4
241	<b>T5 Utility:</b> T5.75,T5.85, T5.95, T5.105, T5.115 (cast front axel)	Ł-106 A	1650	3,6	
242	<b>T6.:</b> T6.120,T6.140,T6.150,T6.160 (4 cyl.)	Ł-106 A	1650	3,6	
243	<b>T6 4B:</b> 125S, 145, 155, 165, 175 (Deluxe 4 cyl.)	Ł-106 A	1650	3,6	
244		Ł-108	1650	4,0	
245		Ł-108	1650	4,0	

We produce front loaders for all tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
246	<b>New Holland</b>	<b>T6.:</b> 155, 165, 175 (6 cyl. 2012-2017)	Ł-108	1650	4,0
247		<b>T7.:</b> 170, 185, 200,210 (with front linkage)	Ł-108	1650	4,0
248		<b>T7SWB Stage V :</b> T7.165 S, T7.175, T7.190, T7.210	Ł-110	2800	4,4
249		<b>70-56 BIS</b>	Ł-104	1200	3,25
250	<b>Pronar</b>	82	Ł-106	1650	3,4
251		82A, 82 SA, 82 TSA, (Carraro)	Ł-106 A	1650	3,6
252		82 SA II,	Ł-106 A	1650	3,6
253		1025A	Ł-106 A	1650	3,6
254		1221A	Ł-108	1650	4,0
255	<b>Pol-Mot</b>	<b>H:</b> 8014 , 9014, 10014	Ł-106	1650	3,4
256	<b>Same</b>	<b>Argon:</b> 70, 80, 90, 100	Ł-107A	1000	3,25
257		<b>Dorado:</b> 56, 66, 60, 80	Ł-104	1200	3,25
258		<b>Dorado:</b> 76, 86	Ł-106	1650	3,4
259		<b>Explorer :</b> 95	Ł-106	1650	3,4
260		<b>Explorer :</b> 90 <b>Top II</b>	Ł-106	1650	3,4
261		<b>Explorer HD DT LS:</b> 90.4, 105.4, 115.4	Ł-106 A	1650	3,6
262		<b>Explorer MD DT LS :</b> 90.4, 105.4, 115.4	Ł-106 A	1650	3,6
263		<b>Exprorer 4F:</b> 100 MD, 110 MD, 110HD, 120 HD	Ł-106 A	1650	3,6
264		<b>Explorer<sup>3</sup>:</b> 90, 105	Ł-106 A	1650	3,6
265		<b>Explorer<sup>3</sup>:</b> 85 DT, 100 DT, 110 DT	Ł-106	1650	3,4
266		<b>Tiger:</b> 65,75 (ROPS and Naglak cabin)	Ł-107 A	1000	3,25
267		<b>Roller:</b> 55 W, 60, 70D, 70 W	Ł-104	1200	3,25
268		<b>Virtus J:</b> 90,100,110,120	Ł-106 A	1650	3,6
269	<b>Solis</b>	<b>20, 26</b> (ROPS and Bartesko cabin)	Ł-103 Short	300	1,8
270		<b>26 HST</b>	Ł-103 Short	300	1,8
271		<b>26 9+9</b>	Ł-103 Short	300	1,8
272		<b>50 z kabiną i ROPS</b>	Ł-107	800	3,0
273		<b>75 NT CRDI, 90 NT CRDI</b>	Ł-107 A	1000	3,25
274		<b>90 CRDI</b>	Ł-106	1650	3,4
275	<b>Steyer</b>	<b>Kompakt:</b> 4085,4095,4105	Ł-106	1650	3,4
276	<b>TYM</b>	<b>T :</b> 433,503	Ł-107	800	3,0
277		<b>T :</b> 603	Ł-107	800	3,0
278		<b>T :</b> 903, 1003	Ł-106	1650	3,4
279	<b>Ursus</b>	C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134	Ł-106	1650	3,4
280		3724 , 4024, 3512, 3514	Ł-107	800	3,0
281		5024, 4512, 4514, 5312, 5314, 5714, 6012, 6014	Ł-104	1200	3,25
282		<b>H:</b> 8014, 9014, 10014	Ł-106	1650	3,4
283		5524, 6824	Ł-106	1650	3,4
284		7524,	Ł-106	1650	3,4
285	1201, 1204, 1212, 1214, 1222, 1224, 1232, 1234, 1434, 1614, 1634,1734	Ł-108	1650	4,0	
286	<b>Władymirec</b>	T25	Ł-103 Medium	400	2,2
287	<b>Valtra</b>	A93	Ł-106	1650	3,4
288		A92	Ł-106	1650	3,4
289		A 104	Ł-106	1650	3,4
290		<b>N 82, N92</b>	Ł-106	1650	3,4
291	<b>Yanmar</b>	<b>F 215</b>	Ł-103 Short	300	1,7

We produce front loaders for all tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]	
291	<b>YTO</b>	<b>SG:</b> 254 ROPS and with cabin	Ł-103 Medium	400	2,2	
292		<b>SG:</b> 354 ROPS and with cabin	Ł-103 Medium	400	2,2	
293		<b>MF:</b> 504	Ł-107	800	3,0	
294	<b>Zetor</b>	<b>Forterra:</b> 100, 110,120, 130, 95, 105, 115,125, 8641, 9641, 10641, 11441	Ł-106 A	1650	3,6	
295		<b>Major</b> 80,	Ł-104	1200	3,25	
296		<b>Proxima</b> (65, 70, 75, 80 ,6421, 6441,7421,7441),	Ł-104	1200	3,25	
297		<b>Proxima</b> (90,100,110) <b>Plus</b>	Ł-106	1650	3,4	
298		<b>Proxima HS:</b> 80,90, 100, 110,120	Ł-106	1650	3,4	
299		<b>Proxima CL:</b> 80,90, 100, 110,	Ł-106	1650	3,4	
300		<b>Proxima</b> (90,100,110, 120) <b>Power</b>	Ł-106	1650	3,4	
301		4320, 4340, 5320, 5340,6320,6340,7320, 7340	Ł-104	1200	3,25	
302		5341 , 7341	Ł-104	1200	3,25	
303		8011, 8045, 8111, 8145, 8245, 1011, 10045, 10145	Ł-106	1650	3,4	
304		8540, 9540, 10540	Ł-106 A	1650	3,6	
305		12111, 12145, 16145, 16245 <b>ZTS</b>	Ł-108	1650	4,0	
306		<b>Zoomliom</b>	RD 254	Ł-103 Medium	400	2,2
307			RK-504 ( z wydechem dolnym i bocznym)	Ł-103 Long	600	2,5
308				Ł-107	800	3,0

### List of support constructions for tractors – front 3 point linkages

No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Category
1	<b>Belarus / MTZ</b>	82, 82.1, 820, 820.1, 820.2, 820.3,	PT-1	1000	II
2		82, 82.1, 820, 820.1, 820.2, 820.3,	PT-2	2000	II
3		892, 892.1, 892.2, 892.3			
4		920, 920.1, 920.2, 952, 952.1, 952.2			
5		920.3, 920.4, 952.3, 952.4,			
6		1025, 1025.1, 1025.2, 1025.3, 1025.4			
7		1221,1221.1, 1221.3, 1221.4	PT-2 lub PT-3	2000/3000	II / III i II
8	<b>Chery</b>	<b>RD</b> 254	PT-0,5	500	I i II
9		<b>RK</b> 504	PT-1	1000	II
10	<b>Deutz Fahr</b>	<b>Agrokid:</b> 220,230	PT-0,5	500	I i II
11		<b>4E:</b> 4070E, 4080E, 4090E, 4100E	PT-2	2000	II
12		<b>Agrolux:</b> 410	PT-1	1000	II
13		<b>Agrolux:</b> 310, 320, 65, 75	PT-1	1000	II
14		<b>5C :</b> 5090C, 5100C, 5110C,5120C,	PT-2 lub PT-3	2000/3000	II / III i II
15		<b>5D:</b> 5080 D Ecoline, 5090 D Ecoline	PT-2	2000	II
16		<b>5D Keyline:</b> 5070 D Keyline, 5080 D Keyline, 5090 D Keyline, 5100 D Keyline	PT-2	2000	II
17		<b>5G HD:</b> 5090.4, 5105.4, 5115.4	PT-2 lub PT-3	2000/3000	II / III i II

We produce front loaders for all tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Category
18	<b>Deutz Fahr</b>	<b>5G MD:</b> 5090.4, 5105.4, 5115.4	PT-2 lub PT-3	2000/3000	II / III i II
19		<b>5G 4F:</b> 5100G, 5110G, 5110 G Plus, 5120 G	PT-2 lub PT-3	2000/3000	II / III i II
20		<b>5 T4F :</b> 5105, 5115, 5125	PT-2 lub PT-3	2000/3000	II / III i II
21		<b>5 T4i:</b> 5100, 5110, 5120, 5130	PT-2 lub PT-3	2000/3000	II / III i II
22	<b>Dong Feng</b>	254G2	PT-0,5	500	I i II
23		404G2	PT-1	1000	II
24	<b>Farmtrac</b>	22 4WD, 26 4WD, 30 4WD	PT-0,3	300	0
25		555, 555 DT	PT-1	1000	II
26		<b>Escort:</b> 550, 550 DT	PT-1	1000	II
27		<b>Heritage:</b> 6050 DT, 6060DT, 6075DT	PT-2	2000	II
28		<b>Heritage</b> 6050 Cross	PT-2	2000	II
29		675DT, 675 DT KING	PT-2	2000	II
30		670 DT IIIB, 675 DT IIIB	PT-2	2000	II
31		685 DT, 690DT, 685 IIIB	PT-2	2000	II
32		680 DTn IIIB	PT-2	2000	II
33		7100 DT, 7110 DT,	PT-2 lub PT-3	2000/3000	II / III i II
34		7100 DT III B, 7110 DT IIIB	PT-2 lub PT-3	2000/3000	II / III i II
35		9120 DTN	PT-2 lub PT-3	2000/3000	II / III i II
36	<b>Foton</b>	<b>TE:</b> 254, 354	PT-0,5	500	I i II
37		<b>TB:</b> 504	PT-1	1000	II
38	<b>Hattat</b>	<b>A:</b> 90, 100, 110	PT-2	2000	II
39	<b>Iseki</b>	<b>TG</b> 6490	PT-0,5	500	I i II
40	<b>John Deere</b>	<b>3E:</b> 3036E,3038E (ROPS i z kabiną Naglak)	PT-0,5	500	I i II
41		<b>5E:</b> 5050E, 5055E , 5065E , 5075E (model 2007 sprzęgło suche	PT-1	1000	II
42		<b>5E:</b> 5058E , 5067E , 5075E (model 2017 sprzęgło elektrohydr. mokre)	PT-1	1000	II
43		<b>6 MC:</b> 6090 , 6100 , 6110 <b>6 RC:</b> 6090 , 6100 , 6110	PT-3	3000	III i II
44		<b>5R:</b> 5090R,5100R,5115R,5125R (USA)	PT-2	2000	II .
45		<b>6155M</b>	PT-3	3000	III i II
46	<b>Kubota</b>	L1-18	PT-0,3	300	0
47		L1-245	PT-0,3	300	0
48		<b>B</b> 1620, <b>B</b> 1820	PT-0,3	300	0
49		<b>B</b> 1161, <b>B</b> 1181	PT-0,3	300	0
50		<b>BX</b> 2350	PT-0,3	300	0
51		<b>BX</b> 231,261	PT-0,3	300	0
52		<b>B</b> 2420	PT-0,3	300	0
53		<b>B</b> 1241	PT-0,3	300	0
54		<b>B</b> 2311	PT-0,3	300	0
55		<b>L</b> 1361 (bez kabiny i z kabiną Bartesko)	PT-0,5	500	I i II
56		<b>L</b> 1 421	PT-1	1000	II
57		<b>L</b> 1 501	PT-1	1000	II
58		<b>L</b> 2 602	PT-1	1000	II
59		<b>M:</b> 6060, 7060	PT-2	2000	II

We produce front loaders for all tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)





No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Category
60	<b>Kubota</b>	M: 8560,9960	PT-2	2000	II
61		M: 110 GX, 135GX	PT-2 lub PT-3	2000/3000	II / III i II
62		MGX - III: 115, 125, 135	PT-2 lub PT-3	2000/3000	II / III i II
63		MGX - IV: 95, 105	PT-2 lub PT-3	2000/3000	II / III i II
64		M 5001: M5091, M5111	PT-2 lub PT-3	2000/3000	II / III i II
65		M 4002 : 4062, 4072	PT-2	2000	II
66		5M Narrow : M5071N, M5091N, M5101N	PT-2	2000	II
67		<b>Kioti</b>	CK 2810	PT-0,3	300
68	DK 4510		PT-1	1000	II
69	NX6010		PT-1	1000	II
70	<b>Landini</b>	6L: 6L-145, 6L-160, 6L-175,	PT-3	3000	III i II
71	<b>Lamborghini</b>	Crono: 70, 80, 90, 100	PT-1	1000	II
72		Record: 65, 75	PT-1	1000	II
73		Strike MD: 90.4, 105.4, 115.4	PT-2 lub PT-3	2000/3000	II / III i II
74		Strike 4F: 100 MD, 110MD, 110 HD, 120 HD	PT-2 lub PT-3	2000/3000	II / III i II
75		Nitro R: 90, 100, 110, 120	PT-2 lub PT-3	2000/3000	II / III i II
76	<b>Lovol</b>	M 354	PT-0,5	500	I i II
77		TB 504	PT-1	1000	II
78		M 504	PT-1	1000	II
79	<b>LS</b>	XR 50, XR 50 HST	PT-0,5	500	I i II
80		R 38	PT-0,5	500	I i II
81	<b>McCormick</b>	X4.35	PT-2	2000	II
82	<b>Mitsubishi</b>	MT 36	PT-0,3	300	0
83	<b>New Holland</b>	Boomer 50 TMR	PT-0,5	500	I i II
84		TD.4F: TD4.80F, TD4.90F, TD4.100F	PT-1	1000	II
85		T4S: 55S, 65S, 75S	PT-1	1000	II
86		T5 Electro Command : T5.100, T5.110, T5.120	PT-2 lub PT-3	2000/3000	II / III i II
87		TD 5.: 85, 95, 105, 115 Tier IVA	PT-2 lub PT-3	2000/3000	II / III i II
88		T5 Utility: T5.75	PT-2	2000	II
89		T5 Utility: T5.85, T5.95, T5.105, T5.115	PT-2 lub PT-3	2000/3000	II / III i II
90		T6. 155, 165, 175 (6 cyl.)	PT-3	3000	III i II
91		T6 4B: 125, 145, 155, 165, 175 (4 cyl.)	PT-3	3000	III i II
92		T6 4B: 160, 180 (6 cyl.)	PT-3	3000	III i II
93	<b>Same</b>	Argon: 70, 80, 90, 100	PT-1	1000	II
94		Tiger: 65, 75	PT-1	1000	II
95		Explorer HD DT LS: 90.4, 105.4, 115.4	PT-2 lub PT-3	2000/3000	II / III i II
96		Explorer MD DT LS: 90.4, 105.4, 115.4	PT-2 lub PT-3	2000/3000	II / III i II
97		Explorer 4f: 100MD, 110MD, 110HD, 120HD	PT-2 lub PT-3	2000/3000	II / III i II
98		Virtus J: 90, 100, 110, 120	PT-2 lub PT-3	2000/3000	II / III i II
99		<b>Solis</b>	20, 26 (ROPS i z kabiną Bartesko)	PT-0,3	300
100	75 NT CRDI/ 90 NT CRDI		PT-1	1000	II
101	90 CRDI		PT-2	2000	II



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

L.p	Marka	Model	Typ TUZ-a	Udźwig [kg]	Kategoria zaczepu
102	<b>Ursus</b>	C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134	PT-2	2000	II
103		H: 8014, 9014, 10014	PT-2	2000	II
104	<b>YTO</b>	SG 254 (ROPS i z kabiną)	PT-0,5	500	I i II
105		SG 354 (ROPS i z kabiną)	PT-0,5	500	I i II
106		MF: 504	PT-1	1000	II
107	<b>Zetor</b>	8011, 8045, 8111, 8145, 8245, 10011, 10045, 10145	PT-2	2000	II
108		Proxima CL: 80, 100, 110, 120	PT-2	2000	II
109	<b>Zoomlion</b>	RD 254	PT-0,5	500	I i II
110		RK-504	PT-1	1000	II

### List of support constructions for tractors – front bulldozers T354

l.p.	Marka ciągnika	Model ciągnika
1	<b>Belarus</b>	82, 82.1, 820, 820.1, 892, 892.1, 920, 920.1, 920.2, 952, 952.1, 952.2
2	<b>Case</b>	<b>JX</b> (60,70,80)
3	<b>Deutz Fahr</b>	<b>Agroplus</b> (310, 315, 320)
4	<b>Farmtrac</b>	545, 545 DT, 555, 555 DT
5		670, 670DT
6		675, 675DT, 802WD, 804WD
7		685DT, 690DT,
8	<b>Lamborghini</b>	R2 (60,80)
9	<b>Massey Ferguson</b>	255
10	<b>Pronar</b>	82, 82A, 82SA, 82TSA
11	<b>New Holland</b>	<b>TD</b> (5010,5020,5030)
12	<b>Same</b>	Dorado (60,80)
13	<b>Ursus</b>	3512, 5524, 6824, C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134
14	<b>Zetor</b>	<b>Major</b> 80, <b>Proxima</b> (70,80,90,100,65,75,85,95,6421,6441,7421,7441, 8421,8441), 8011, 8045, 8111, 8145, 8245, 10011, 10045, 10145
15		