



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

### List of tractors and front loaders.

No.	Tractor brand	Tractor model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]	
1	Belarus/MTZ	320.4	Ł-103 Medium	400	2,2	
2		422.4	Ł-107	800	3,0	
3		82, 82.1, 820, 820.1, 820.2, 820.3,	Ł-106	1650	3,4	
4		892, 892.1, 892.2, 892.3	Ł-106	1650	3,4	
5		920, 920.1, 920.2, 952, 952.1, 952.2	Ł-106	1650	3,4	
6		920.3, 920.4, 952.3, 952.4,	Ł-106 A	1650	3,6	
7		1025, 1025.1, 1025.2, 1025.3, 1025.4	Ł-106 A	1650	3,6	
8		1221, 1221.1, 1221.2, 1221.3, 1221.4	Ł-108	1650	4,0	
9	Case	<b>CX</b> : 80, 90, 100	Ł-106	1650	3,4	
10		<b>Farmall A</b> : 65A, 75 A (engine 4 cyl.)	Ł-104	1200	3,25	
11		<b>Farmall A</b> : 85 A, 95 A, 105 A, 115 A	Ł-106	1650	3,4	
12		<b>JX</b> : 60, 70 (engine 3 i 4 cyl.)	Ł-104	1200	3,25	
13		<b>JX</b> : 80, 90, 95	Ł-106	1650	3,4	
14		<b>JXU</b> : 1070, 1080, 1090, 1100, 75, 85, 95, 105, 115	Ł-106	1650	3,4	
15		<b>Maxxum</b> : 100, 110	Ł-106 A	1650	3,6	
16		<b>Maxxum</b> : 115, 125, 140	Ł-108	1650	4,0	
17		<b>MX</b> : 100, 110, 120, 135	Ł-108	1650	4,0	
18		<b>5130, 5140, 5150</b> Maxxum	Ł-106 A	1650	3,6	
19	Chery	<b>RD 254</b>	Ł-103 Medium	400	2,2	
20		<b>RK 504</b>	Ł-103 Long	600	2,5	
21			Ł-107	800	3,0	
22	Deutz Fahr	<b>Agrokid: 220, 230</b>	Ł-103 Medium	400	2,2	
23		<b>Agrolux</b> : 310, 320, 65, 75 (ROPS and with Naglak cabin)	Ł-107A	1000	3,25	
24		<b>Agrolux</b> : 410 (ROPS and with Naglak cabin)	Ł-107A	1000	3,25	
25		<b>Agroplus</b> : 67 DT, 80 DT	Ł-104	1200	3,25	
26		<b>Agroplus F</b> : 310F, 315 F	Ł-107	800	3,0	
27		<b>Agroplus</b> : 87	Ł-106	1650	3,4	
28		<b>Agroplus</b> : 310, 315 , 320	Ł-104	1200	3,25	
29		<b>Agroplus</b> : 410, 420	Ł-104	1200	3,25	
30		<b>Agroplus Ecoline</b> : 310 , 315, 320	Ł-104	1200	3,25	
31		<b>Agrofarm</b> : 410 DT, 85 DT	Ł-106	1200	3,4	
32		<b>Agrofarm</b> : 420 DT, 430 DT, 100 DT	Ł-106 A	1650	3,6	
33		<b>Agrofarm G</b> : 410 , 430	Ł-106 A	1650	3,6	
34		<b>Agrotron K</b> : 410, 420, 100	Ł-106 A	1650	3,6	
35		<b>Agrotron K</b> : 610, 110	Ł-108	1650	4,0	
36		<b>Agrotron M</b> : 600, 610 ,615, 620	Ł-108	1650	4,0	
37		<b>4E</b> : 4070E,4080E,4090E, 4100E (ROPS and with Naglak cabin)	Ł-107A	1000	3,25	
38			Ł-104	1200	3,25	
39		<b>5C</b> : 5090C, 5100C, 5110C,5120C,	Ł-106 A	1650	3,6	
40		<b>5D</b> : 5085D	Ł-104	1200	3,25	
41		<b>5D</b> : 5080 Ecoline, 5090 Ecoline	Ł-104	1200	3,25	
42		<b>5G HD</b> : 5090.4, 5105.4, 5115.4	Ł-106 A	1650	3,6	
43		5D Keyline: 5070, 5080, 5090, 5100	Ł-107A	1000	3,25	
44		<b>5G MD</b> : 5090.4, 5105.4, 5115.4	Ł-106 A	1650	3,6	
45		<b>5G T4F</b> : 5100G, 5110G, 5110 G Plus, 5120 G	Ł-106 A	1650	3,6	
46		<b>5 (T4i)</b> : 5100, 5110, 5120, 5130	Ł-106 A	1650	3,6	
47		<b>5 T4F</b> : 5105, 5115, 5125	Ł-106 A	1650	3,6	
48		<b>5100 DT</b>	Ł-106 A	1650	3,6	
49		<b>Agrotron 6165</b>	Ł-108	1650	4,0	
50		Dong Feng	254G2	Ł-103 Medium	400	2,2
51			404G2	Ł-103 Medium	400	2,2
52	504G3		Ł-103 Long	600	2,5	

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
53	<b>Farmer</b>	8244 C2	Ł-106	1650	3,4
54	<b>Farmtrac</b>	<b>B:</b> B26, B30 (ROPS and with Bartesko cabin)	Ł-103 Short	300	1,8
55		555, 555DT, <b>Escort:</b> 550, 550DT	Ł-103 Long	600	2,5
56		535, 545, 545DT, 555, 555DT, <b>Escort :</b> 550, 550DT	Ł-107	800	3,0
57		665, 665DT, 70 2WD, 70 4WD,	Ł-104	1200	3,25
58		<b>Heritage:</b> 6050DT, 6060DT, 6075DT	Ł-107 A	1000	3,25
59		<b>Heritage 6050 Cross</b>	Ł-107 A	1000	3,25
60		670, 670DT,	Ł-104	1200	3,25
61		675 DT KING, 675DT, 675, 80 2WD, 80 4WD,	Ł-104	1200	3,25
62		FT 670 DT IIIB, FT 675 DT IIIB	Ł-104	1200	3,25
63		685DT , 690DT	Ł-106	1650	3,4
64		685DT IIIB, 690DT IIIB	Ł-106	1650	3,4
65		7100DT, 7110DT,	Ł-106 A	1650	3,6
66		7100DT IIIB, 7110DT IIIB	Ł-106 A	1650	3,6
67		9120 DTN	Ł-106 A	1650	3,6
68		<b>Foton</b>	<b>TE</b> 254	Ł-103 Medium	400
69	<b>TE</b> 354		Ł-103 Medium	400	2,2
70	<b>TB</b> 504, <b>TB</b> 404		Ł-107	800	3,0
71	<b>TB</b> 504, <b>TB</b> 404		Ł-103 Long	600	2,5
72	604, 704		Ł-104	1200	3,25
73	824, 904		Ł-106	1650	3,4
74	<b>Iseki</b>	TG 6490	Ł-103 Medium	400	2,2
75	<b>Hattat</b>	A: 90, 100, 110	Ł-106	1650	3,4
76	<b>John Deere</b>	<b>3E:</b> 3036 E, 3038E	Ł-103 Medium	400	2,2
77		<b>M :</b> 5070M , 5080M , 5090M , 5100M (made in Germany)	Ł-106	1650	3,4
78		<b>R:</b> 5080R , 5090R , 5100R , (made in Germany)	Ł-106	1650	3,4
79		<b>5E:</b> 5050E, 5055E , 5065E , 5075E	Ł-107A	1000	3,25
80		<b>5E:</b> 5083E , 5093E	Ł-106	1650	3,4
81		<b>5M :</b> 5085M, 5100M, 5115M (made in USA)	Ł-106 A	1650	3,6
82		<b>5R:</b> 5090R, 5100R, 5115R, 5125R (made in USA)	Ł-106 A	1650	3,6
83		<b>6D:</b> 6100D, 6115D, 6130D	Ł-106 A	1650	3,6
84		<b>6M :</b> 6115M, 6125M	Ł-106 A	1650	3,6
85		<b>6 MC:</b> 6090MC , 6100MC , 6110MC <b>6 RC:</b> 6090RC , 6100RC , 6110RC	Ł-106 A	1650	3,6
86		<b>6030 :</b> 6130, 6230, 6330, 6430	Ł-106 A	1650	3,6
87		6020, 6120, 6220, 6320, 6420	Ł-106 A	1650	3,6
88		5620, 5720, 5820	Ł-106	1650	3,4
89		<b>6030 :</b> 6530, 6630, 6830, 6930	Ł-108	1650	4,0
90			Ł-110	2800	4,4
91			Ł-108	1650	4,0
92		6520, 6620, 6920	Ł-110	2800	4,4
93		6175M, 6195M	Ł-110	2800	4,4
94		6175R, 6195R	Ł-110	2800	4,4
95	<b>Kioti</b>	<b>CS</b> 2610	Ł-103 Short	200	1,7
96		<b>CK</b> 2810	Ł-103 Short	200	1,7
97		<b>DK</b> 4510	Ł-103 Short	300	1,8
98		<b>DK</b> 4510 with front 3 point linkage	Ł-103 Medium	400	2,2
99		<b>RX</b> 60.10	Ł-107	800	3,0
100		<b>NX</b> 6010	Ł-107	800	3,0
101	<b>Kubota</b>	<b>B</b> 1620, <b>B</b> 1820	Ł-103 Short	200	1,7
102		<b>B</b> 1161, <b>B</b> 1181	Ł-103 Short	200	1,7

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]	
103	Kubota	<b>B 2420</b> ROPS	Ł-103 Short	300	1,8	
104		<b>B 1241</b> ROPS and with Naglak cabin	Ł-103 Short	300	1,8	
105		<b>B 2350 HDB, B 2650 HDB</b>	Ł-103 Short	300	1,8	
106		<b>BX 2350</b> ROPS or with cabin	Ł-103 Short	200	1,7	
107		<b>BX 231, BX261</b> ROPS and with Bartesko cabin	Ł-103 Short	200	1,7	
108		<b>L1-245</b>	Ł-103 Short	300	1,8	
109		<b>L1-18</b>	Ł-103 Short	300	1,8	
110		<b>L 3200</b>	Ł-103 Medium	400	2,2	
111		<b>L 1361</b> (ROPS or with cabin Bartesko and Naglak)	Ł-103 Medium	400	2,2	
112		<b>L1 421</b> (with Naglak cabin)	Ł-107	800	3,0	
113		<b>L1 501</b> (with Naglak cabin)	Ł-107	800	3,0	
114		<b>L2 501</b> (with Naglak cabin)	Ł-107	800	3,0	
115		<b>L2 602</b> (cabin and hydraulic walve Kubota)	Ł-107	800	3,0	
116		<b>L5030, L 5040</b> (with Naglak cabin)	Ł-107	800	3,0	
117		<b>MK 5000</b>	Ł-107	800	3,0	
118		<b>M Narrow: 7040</b>	Ł-107	800	3,0	
119		<b>M 5 Narrow : M5071N, M5091N, M5101N</b>	Ł-107A	1000	3,25	
120		<b>M: 6060, 7060, 6040, 7040</b>	Ł-104	1200	3,25	
121		<b>M: 8560, 9960, 8540, 9540</b>	Ł-106	1650	3,4	
122		<b>M: 105 S, 108 S</b>	Ł-106	1650	3,4	
123		<b>MGX: 110</b>	Ł-106	1650	3,4	
124		<b>MGX: 135</b>	Ł-106A	1650	3,6	
125		<b>MGX - III: 115, 125, 135</b>	Ł-106A	1650	3,6	
126		<b>MGX - IV: 95, 105</b>	Ł-106A	1650	3,6	
127		<b>Me: 8200, 9000</b>	Ł-104	1200	3,25	
128		<b>M 4002: M4062, M4072</b>	Ł-104	1200	3,25	
129		<b>M 5001: M5091, M5111</b>	Ł-106	1650	3,4	
130		<b>M7001: M7131, M7151, M7171</b>	Ł-110	2800	4,4	
131		<b>M7002: M7132, M7152, M7172</b>	Ł-110 Pro	2800	4,4	
132		<b>LTZ</b>	<b>T40</b>	Ł-107A	1000	3,25
133		Lamborghini	<b>Crono: 70, 80, 90, 100</b>	Ł-107A	1000	3,25
134	<b>Grand Prix : 90 DT, 95</b>		Ł-106	1650	3,4	
135	<b>Lampo: 55W, 70W, 60D, 70D</b>		Ł-104	1200	3,25	
136	<b>Nitro R: 90,100,110, 120</b>		Ł-106 A	1650	3,6	
137	<b>Rekord: 65, 75</b> (ROPS and with Naglak cabin)		Ł-107A	1000	3,25	
138	<b>R2: 60, 80</b>		Ł-104	1200	3,25	
139	<b>R2 Target: 56, 66</b>		Ł-104	1200	3,25	
140	<b>R2 Target: 76,86</b>		Ł-106	1650	3,4	
141	<b>R3 EVO: 85, 100, 110</b>		Ł-106	1650	3,4	
142	<b>R3: 90,100</b>		Ł-106 A	1650	3,6	
143	<b>R6:100, 110</b>		Ł-106 A	1650	3,6	
144	<b>R6: 130, 140</b>		Ł-106 A	1650	3,6	
145	<b>Strike HD: 90.4, 105.4,115.4</b>		Ł-106 A	1650	3,6	
146	<b>Strike MD: 90.4, 105.4, 115.4</b>		Ł-106 A	1650	3,6	
147	<b>Strike 4F: 100 MD, 110 MD, 110 HD, 120 HD</b>		Ł-106 A	1650	3,6	
148	Landini	<b>Mistral : 55</b>	Ł-103 Medium	400	2,2	
149		<b>Mistral : 50</b>	Ł-103 Medium	400	2,2	
150		<b>Powerfarm: 80DT, 85DT, 90DT, 95DT, 100DT,105DT</b>	Ł-106	1650	3,4	
151		<b>Powermundial : 110, 115</b>	Ł-106 A	1650	3,6	
152		<b>Powerfarm: 60, 75</b>	Ł-104	1200	3,25	
153		<b>Rex: 70F, 80F</b>	Ł-107	800	3,0	
154		<b>Technofarm: 70, 80</b>	Ł-104	1200	3,25	

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
155	<b>Landini</b>	<b>Vision:</b> 85, 95,105	Ł-106	1650	3,4
156		<b>6L:</b> 6L-145, 6L-160, 6L-175,	Ł-106A	1650	3,6
157		<b>5H:</b> 080, 090, 100, 110,115	Ł-106	1650	3,4
158	<b>Lovol</b>	<b>M504, TB 504</b>	Ł-107	800	3,0
159		<b>M504, TB 504</b>	Ł-103 Long	600	2,5
160		<b>M354, M254</b>	Ł-103 Medium	400	2,2
161	<b>LS</b>	<b>J :</b> 23,27 HST	Ł-103 Short	300	1,8
162		<b>R 38</b>	Ł-103 Medium	400	2,2
163		<b>R 41</b>	Ł-103 Medium	400	2,2
164		<b>XR 50, XR 50 HST</b>	Ł-103 Medium	400	2,2
165	<b>Mitsubishi</b>	<b>MT1800</b>	Ł-103 Short	300	1,7
166		<b>MT2000</b>	Ł-103 Short	300	1,7
167		<b>MT36</b>	Ł-103 Medium	400	2,2
168	<b>Massey Ferguson</b>	4445, 4455	Ł-106	1650	3,4
169		3060, 3065	Ł-106	1650	3,4
170		3070	Ł-106	1650	3,4
171		5460	Ł-106 A	1650	3,6
172	<b>McCormick</b>	<b>CL :</b> 65, 75 , 70, 80	Ł-104	1200	3,25
173		<b>CXL:</b> 65, 75, 85	Ł-104	1200	3,25
174		<b>CXL :</b> 70, 80	Ł-104	1200	3,25
175		<b>CMax:</b> 60, 75	Ł-104	1200	3,25
176		<b>CMax:</b> 80, 85, 90, 95, 105	Ł-106	1650	3,4
177		<b>CMax:</b> 100, 110	Ł-106	1650	3,4
178		<b>CX:</b> 90, 95, 100, 105	Ł-106	1650	3,4
179		<b>Cx:</b> 110	Ł-106 A	1650	3,6
180		<b>F:</b> 70, 80, 90 (only version with one fuel tank)	Ł-107	800	3,0
181		<b>GM :</b> 50	Ł-103 Medium	400	2,2
182		<b>GM :</b> 55	Ł-103 Medium	400	2,2
183		<b>GMax:</b> 125, 135	Ł-106 A	1650	3,6
184		<b>GMax:</b> 145, 165	Ł-108	1650	4,0
185		<b>MC :</b> 115	Ł-106	1650	3,4
186		<b>MC :</b> 120, 135	Ł-108	1650	4,0
187		<b>MTX Beta Power:</b> 120, 135, 150	Ł-108	1650	4,0
188		<b>X4:</b> 4.35, 4.50, 4.60, 4.70	Ł-106	1650	3,4
189		<b>X 60:</b> 60.20, 60.30, 60.40, 60.50	Ł-106 A	1650	3,6
190	<b>New Holland</b>	<b>Boomer :</b> 20, 25	Ł-103 Short	300	1,8
191		<b>Boomer:</b> 30, 35	Ł-103 Medium	400	2,2
192		<b>Boomer:</b> 40, 50	Ł-103 Medium	400	2,5
193		<b>Boomer 50 TMR</b>	Ł-103 Medium	400	2,5
194		<b>T 3000:</b> T 3020, T 3030, T 3040	Ł-103 Medium	400	2,2
195		<b>T3. F:</b> T3.50F, T3.55F, T3.65F, T375F	Ł-103 Medium	400	2,2
196		<b>T :</b> T 4020, T 4030, T 4040, T 4050	Ł-104	1200	3,25
197		<b>T :</b> T 5030, T 5040, T 5050, T 5060, T 5070	Ł-106	1650	3,4
198		<b>T:</b> T 6010, T 6020 ( <b>Delta / Plus</b> )	Ł-106 A	1650	3,6
199		<b>T :</b> T 6030, T 6050	Ł-108	1650	4,0
200		<b>T :</b> T 6030,T 6050, T 6070 <b>Plus</b>	Ł-108	1650	4,0
201		<b>TD :</b> TD 60, TD70 ( <b>D i D PLUS</b> )	Ł-104	1200	3,25
202		<b>TD:</b> TD 80 ,TD 85, TD 90, TD 95 ( <b>D i D PLUS</b> )	Ł-106	1650	3,4

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
203	New Holland	<b>TD F:</b> TD4020F,TD4030F,TD4040F (without or with Koja cabin)	Ł-107	800	3,0
204		<b>TD.4F:</b> TD4.80F, TD4.90F, TD4.100F	Ł-107	800	3,0
205		<b>TD :</b> 5010, 5020	Ł-104	1200	3,25
206		<b>TD :</b> 5030, 5040, 5050	Ł-106	1650	3,4
207		<b>TD 3.50</b> version before 2015r.	Ł-107	800	3,0
208		<b>TD 5.:</b> 65,75	Ł-104	1200	3,25
209		<b>TD 5.:</b> 85, 95, 105, 115 Tier IVA	Ł-106	1650	3,4
210		<b>TL :</b> 80, 90, 100	Ł-106	1650	3,4
211		<b>TM:</b> 120, 125, 140	Ł-108	1650	4,0
212		<b>TT:</b> 55; 65, 75	Ł-107	800	3,0
213		<b>T4S:</b> 55S, 65S, 75S	Ł-107A	1000	3,25
214		<b>T4 ( Power Star Tier 4B):</b> T4.55, T4.65,T4.75	Ł-104	1200	3,25
215		<b>T4. Power Star Tier 3 i Tier 4A:</b> 75, 85, 95	Ł-104	1200	3,25
216		<b>T4.:</b> 75, 85, 95,105 (HiLo)	Ł-106	1650	3,4
217		<b>T4. F i N:</b> 75, 85	Ł-107	800	3,0
218		<b>T4.N IVA:</b> T4.80N, T4.90N, T4.100N, T4.110N	Ł-107A	1000	3,25
219		<b>T5 Electro Command :</b> T5.100, T5.110, T5.120	Ł-106 A	1650	3,6
220		<b>T5. :</b> T5.95, T5.105,T5.115	Ł-106 A	1650	3,6
221		<b>T5 DC Utility:</b> T5.75,T5.85DC,T5.95,T5.105,T5.115 (welded front axle bracket)	Ł-106	1200	3,25
222		<b>T5 DC Utility:</b> <b>T5.75</b> , T5.85, T5.95, T5.105,T5.115 (cast front axle bracket)	Ł-106 A	1650	3,6
223		<b>T6.:</b> T6.120,T6.140,T6.150,T6.160	Ł-106 A	1650	3,6
224		<b>T6.:</b> T6.120,T6.140,T6.150,T6.160	Ł-106 A	1650	3,6
225		<b>T6 4B:</b> 125, 145, 155, 165, 175 (Deluxe version)	Ł-106 A	1650	3,6
226			Ł-108	1650	4,0
227		<b>T6 4B:</b> 180	Ł-108	1650	4,0
228		<b>T6.:</b> 155, 165, 175	Ł-108	1650	4,0
229		<b>T7.:</b> 170, 185, 200,210	Ł-108	1650	4,0
230		<b>T7.165 S</b> and Super Ster version	Ł-110	2800	4,4
231		<b>70-56 BIS</b>	Ł-104	1200	3,25
232	Pronar	82	Ł-106	1650	3,4
233		82A, 82 SA, 82 TSA, (front axle Carraro)	Ł-106 A	1650	3,6
234		82 SA II,	Ł-106 A	1650	3,6
235		1025A	Ł-106 A	1650	3,6
236		1221A	Ł-108	1650	4,0
237	Pol-Mot	<b>H:</b> 8014 , 9014, 10014	Ł-106	1650	3,4
238	Same	<b>Argon:</b> 70, 80, 90, 100	Ł-107A	1000	3,25
239		<b>Dorado:</b> 56, 66, 60, 80	Ł-104	1200	3,25
240		<b>Dorado:</b> 76, 86	Ł-106	1650	3,4
241		<b>Explorer :</b> 95	Ł-106	1650	3,4
242		<b>Explorer :</b> 90 <b>Top II</b>	Ł-106	1650	3,4
243		<b>Explorer HD DT LS:</b> 90.4, 105.4, 115.4	Ł-106 A	1650	3,6
244		<b>Explorer MD DT LS :</b> 90.4, 105.4, 115.4	Ł-106 A	1650	3,6
245		<b>Exprorer 4F:</b> 100 MD, 110 MD, 110HD, 120 HD	Ł-106 A	1650	3,6
246		<b>Explorer<sup>3</sup>:</b> 90, 105	Ł-106 A	1650	3,6
247		<b>Explorer<sup>3</sup>:</b> 85 DT, 100 DT, 110 DT	Ł-106	1650	3,4
248		<b>Roller:</b> 55 W, 60, 70D, 70 W	Ł-104	1200	3,25
249		<b>Tiger:</b> 65,75 (without or with Naglak cabin)	Ł-107 A	1000	3,25

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended front loader	Lifting capacity [kg]	Lifting height [ m]
250	<b>Solis</b>	<b>Virtus J:</b> 90,100,110,120	Ł-106 A	1650	3,6
251		20, 26	Ł-103 Short	300	1,8
252		<b>90</b>	Ł-106	1650	3,4
253		<b>50 ROPS and with cabin</b>	Ł-107	800	3,0
254	<b>Steyer</b>	<b>Kompakt:</b> 4085,4095,4105	Ł-106	1650	3,4
255	<b>TYM</b>	<b>T :</b> 433,503	Ł-107	800	3,0
256		<b>T :</b> 603	Ł-107	800	3,0
257		<b>T :</b> 903, 1003	Ł-106	1650	3,4
258	<b>Ursus</b>	C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134	Ł-106	1650	3,4
259		3724 , 4024, 3512, 3514	Ł-107	800	3,0
260		5024, 4512, 4514, 5312, 5314, 5714, 6012, 6014	Ł-104	1200	3,25
261		<b>H:</b> 8014, 9014, 10014	Ł-106	1650	3,4
262		5524, 6824	Ł-106	1650	3,4
263		7524,	Ł-106	1650	3,4
264		1201, 1204, 1212, 1214, 1222, 1224, 1232, 1234, 1434, 1614, 1634,1734	Ł-108	1650	4,0
265	<b>Valtra</b>	<b>A93</b>	Ł-106	1650	3,4
266		<b>A92</b>	Ł-106	1650	3,4
267		<b>A104</b>			
268		<b>N 82, N92</b>	Ł-106	1650	3,4
269	<b>Yanmar</b>	<b>F 215</b>	Ł-103 Short	300	1,7
270	<b>YTO</b>	<b>SG:</b> 254 ROPS and with cabin	Ł-103 Medium	400	2,2
271		<b>MF:</b> 504	Ł-107	800	3,0
272	<b>Zetor</b>	<b>Forterra:</b> 100, 95, 105, 115, 8641, 9641, 10641, 11441	Ł-106 A	1650	3,6
273		<b>Major 80,</b>	Ł-104	1200	3,25
274		<b>Proxima (90, 100, 85, 95, 8421, 8441),</b>	Ł-106	1650	3,4
275		<b>Proxima (65, 70, 75, 80 ,6421, 6441,7421,7441),</b>	Ł-104	1200	3,25
276		<b>Proxima (90,100,110) Plus</b>	Ł-106	1650	3,4
277		<b>Proxima HS:</b> 80,90, 100, 110,120	Ł-106	1650	3,4
278		<b>Proxima CL:</b> 80, 100, 110, 120	Ł-106	1650	3,4
279		<b>Proxima (90,100,110, 120) Power</b>	Ł-106	1650	3,4
280		4320, 4340, 5320, 5340,6320,6340,7320, 7340	Ł-104	1200	3,25
281		5341 , 7341	Ł-104	1200	3,25
282		8011, 8045, 8111, 8145, 8245, 1011, 10045, 10145	Ł-106	1650	3,4
283		8540, 9540, 10540	Ł-106 A	1650	3,6
284		12111, 12145, 16145, 16245 <b>ZTS</b>	Ł-108	1650	4,0
285		<b>Zoomlion</b>	RD 254	Ł-103 Medium	400
286	RK-504		Ł-103 Long	600	2,5
287			Ł-107	800	3,0

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)





ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

### List of tractors and front 3-points linkages.

No.	Tractor brand	Tractor model	Recommended type	Lifting capacity [kg]	Category	
1	<b>Belarus / MTZ</b>	82, 82.1, 820, 820.1, 820.2, 820.3,	PT-1	1000	II	
2		82, 82.1, 820, 820.1, 820.2, 820.3,	PT-2	2000	II	
3		892, 892.1, 892.2, 892.3				
4		920, 920.1, 920.2, 952, 952.1, 952.2				
5		920.3, 920.4, 952.3, 952.4,	PT-2 or PT-3	2000/3000	II / III i II	
6		1025, 1025.1, 1025.2, 1025.3, 1025.4				
7		1221,1221.1, 1221.3, 1221.4				
8	<b>Chery</b>	<b>RD</b> 254	PT-0,5	500	I i II	
9		<b>RK</b> 504	PT-1	1000	II	
10	<b>Deutz Fahr</b>	<b>Agrokid: 220,230</b>	PT-0,5	500	I i II	
11		<b>4E:</b> 4070E, 4080E, 4090E, 4100E	PT-2	2000	II	
12		<b>Agrolux:</b> 410	PT-1	1000	II	
13		<b>Agrolux:</b> 310, 320, 65, 75	PT-1	1000	II	
14		<b>5C :</b> 5090C, 5100C, 5110C,5120C,	PT-2 or PT-3	2000/3000	II / III i II	
15		<b>5D:</b> 5080 D Ecoline, 5090 D Ecoline	PT-2	2000	II	
16		<b>5G HD:</b> 5090.4, 5105.4, 5115.4	PT-2 or PT-3	2000/3000	II / III i II	
17		<b>5G MD:</b> 5090.4, 5105.4, 5115.4	PT-2 or PT-3	2000/3000	II / III i II	
18		<b>5G 4F:</b> 5100G, 5110G, 5110 G Plus, 5120 G	PT-2 or PT-3	2000/3000	II / III i II	
19		<b>5 T4F :</b> 5105, 5115, 5125	PT-2 or PT-3	2000/3000	II / III i II	
20		<b>5 T4i:</b> 5100, 5110, 5120, 5130	PT-2 or PT-3	2000/3000	II / III i II	
21	<b>5100 DT</b>	PT-2 or PT-3	2000/3000	II / III i II		
22	<b>Dong Feng</b>	254G2	PT-0,5	500	I i II	
23		404G2	PT-1	1000	II	
24	<b>Farmtrac</b>	B: 26, 30 (ROPS and Turkish cabin)	PT-0,3	300	0	
25		555, 555 DT	PT-1	1000	II	
26		<b>Escort:</b> 550, 550 DT	PT-1	1000	II	
27		<b>Heritage:</b> 6050 DT, 6060DT, 6075DT	PT-2	2000	II	
28		<b>Heritage</b> 6050 Cross	PT-2	2000	II	
29		675DT, 675 DT KING	PT-2	2000	II	
30		670 DT IIIB, 675 DT IIIB	PT-2	2000	II	
31		680 DTn IIIB	PT-2	2000	II	
32		685 DT, 690DT, 685 IIIB	PT-2	2000	II .	
33		7100 DT, 7110 DT,	PT-2 or PT-3	2000/3000	II / III i II	
34		7100 DT III B, 7110 DT IIIB	PT-2 or PT-3	2000/3000	II / III i II	
35		9120 DTN	PT-2 or PT-3	2000/3000	II / III i II	
36		<b>Foton</b>	<b>TE:</b> 254, 354	PT-0,5	500	I i II
37			<b>TB:</b> 504	PT-1	1000	II
38	<b>Iseki</b>	<b>TG</b> 6490	PT-0,5	500	I i II	
39	<b>John Deere</b>	<b>5E:</b> 5050E, 5055E , 5065E , 5075E	PT-1	1000	II	
40		<b>3E: 3036E, 3038E</b>	PT-0,5	500	I i II	
41		<b>6 MC:</b> 6090 , 6100 , 6110 <b>6 RC:</b> 6090 , 6100 , 6110	PT-3	3000	III i II	
42		<b>5R:</b> 5090R,5100R,5115R,5125R (USA)	PT-2	2000	II	

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)



ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended type of 3-point linkage	Lifting capacity [kg]	Category	
43	<b>Kubota</b>	L1-18	PT-0,3	300	0	
44		L1-245	PT-0,3	300	0	
45		B 1620, B 1820	PT-0,3	300	0	
46		B1161, B1181	PT-0,3	300	0	
47		BX 2350	PT-0,3	300	0	
48		BX 231, BX 261	PT-0,3	300	0	
49		B 2420	PT-0,3	300	0	
50		B 1241	PT-0,3	300	0	
51		B 2311	PT-0,3	300	0	
52		L 1361	PT-0,5	500	I i II	
53		L1 501	PT-1	1000	II	
54		L2 602	PT-1	1000	II	
55		M: 6060, 7060	PT-2	2000	II	
56		M: 8560,9960	PT-2	2000	II	
57		M: 110 GX, 135GX	PT-2 or PT-3	2000/3000	II / III i II	
58		MGX - III: 115, 125, 135	PT-2 or PT-3	2000/3000	II / III i II	
59		M 5001: M5091, M5111	PT-2 or PT-3	2000/3000	II / III i II	
60		MGX - IV: 95, 105	PT-2 lub PT-3	2000/3000	II / III i II	
61		M 4002 : 4062, 4072	PT-2	2000	II	
62		5M Narrow : M5071N, M5091N, M5101N	PT-2	2000	II	
63		<b>Kioti</b>	CK 2810	PT-0,3	300	0
64			DK 4510	PT-1	1000	II
65	NX6010		PT-1	1000	II	
66	<b>Landini</b>	6L: 6L-145, 6L-160, 6L-175,	PT-3	3000	III i II	
67	<b>Lamborghini</b>	Crono: 70, 80, 90, 100	PT-1	1000	II	
68		Record: 65, 75	PT-1	1000	II	
69		Strike MD: 90.4, 105.4, 115.4	PT-2 lub PT-3	2000/3000	II / III i II	
70		Strike 4F: 100 MD, 110 MD, 110 HD, 120 HD	PT-2 lub PT-3	2000/3000	II / III i II	
71		Nitro R: 90,100,110, 120	PT-2 lub PT-3	2000/3000	II / III i II	
72	<b>Lovol</b>	M 354	PT-0,5	500	I i II	
73		M 504	PT-1	1000	II	
74		TB 504	PT-1	1000	II	
75	<b>LS</b>	XR 50, XR 50 HST	PT-0,5	500	I i II	
76		R 38	PT-0,5	500	I i II	
77	<b>McCormick</b>	X4.35	PT-2	2000	II	
78	<b>Mitsubishi</b>	MT 36	PT-0,3	300	0	
79	<b>New Holland</b>	Boomer 50 TMR	PT-0,5	500	I i II	
80		TD.4F: TD4.80F, TD4.90F, TD4.100F	PT-1	1000	II	
81		T4S: 55S, 65S, 75S	PT-1	1000	II	
82		T5 Electro Command : T5.100, T5.110, T5.120	PT-2 lub PT-3	2000/3000	II / III i II	
83		TD 5.: 85, 95, 105, 115 Tier IVA	PT-2 lub PT-3	2000/3000	II / III i II	
84		T5 Utility: T5.75	PT-2	2000	II	

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)





ZAKŁAD METALOWY „AGROMASZ”  
ul. Lubelska 42B 11-700 Mrągowo  
tel. fax (089) 741-21-92 NIP 742-000-20-67

No.	Tractor brand	Tractor model	Recommended type of 3-point linkage	Lifting capacity [kg]	Category
85		<b>T5 Utility:</b> T5.85, T5.95, T5.105, T5.115	PT-2 lub PT-3	2000/3000	II / III i II
86		<b>T6.</b> 155, 165, 175	PT-3	3000	III i II
87		<b>T6 4B:</b> 125, 145, 155, 165, 175(Deluxe)	PT-3	3000	III i II
88	<b>Same</b>	<b>Argon:</b> 70, 80, 90, 100	PT-1	1000	II
89		<b>Tiger:</b> 65, 75	PT-1	1000	II
90		<b>Explorer HD DT LS:</b> 90.4,105.4, 115.4	PT-2 lub PT-3	2000/3000	II / III i II
91		<b>Explorer MD DT LS:</b> 90.4,105.4, 115.4	PT-2 lub PT-3	2000/3000	II / III i II
92		<b>Explorer 4f:</b> 100MD, 110MD, 110HD, 120HD	PT-2 lub PT-3	2000/3000	II / III i II
93		<b>Virtus J:</b> 90,100,110,120	PT-2 lub PT-3	2000/3000	II / III i II
94	<b>Solis</b>	20, 26 (ROPS and Bartesko cabin)	PT-0,3	300	0
95		50	PT-1	1000	II
96		90	PT-2	2000	II
97	<b>Ursus</b>	C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134	PT-2	2000	II
98	<b>YTO</b>	<b>MF:</b> 504	PT-1	1000	II
99	<b>Zetor</b>	8011, 8045, 8111, 8145, 8245, 10011, 10045, 10145	PT-2	2000	II
100		<b>Proxima CL:</b> 80, 100, 110, 120	PT-2	2000	II
101	<b>Zoomlion</b>	<b>RD</b> 254	PT-0,5	500	I i II
102		<b>RK-</b> 504	PT-1	1000	II

### List of tractors and front bulldozers T354.

No.	Tractor brand	Tractor model
1	<b>Belarus</b>	82, 82.1, 820, 820.1, 892, 892.1, 920, 920.1, 920.2, 952, 952.1, 952.2
2	<b>Case</b>	<b>JX</b> (60,70,80)
3	<b>Deutz Fahr</b>	<b>Agroplus</b> (310, 315, 320)
4	<b>Farmtrac</b>	545, 545 DT, 555, 555 DT
5		670, 670DT
6		675, 675DT, 802WD, 804WD
7		685DT, 690DT,
8	<b>Lamborghini</b>	R2 (60,80)
9	<b>Massey Ferguson</b>	255
10	<b>Pronar</b>	82, 82A, 82SA, 82TSA
11	<b>New Holland</b>	<b>TD</b> (5010,5020,5030)
12	<b>Same</b>	Dorado (60,80)
13	<b>Ursus</b>	3512, 5524, 6824, C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134
14	<b>Zetor</b>	<b>Major</b> 80, <b>Proxima</b> (70,80,90,100,65,75,85,95,6421,6441,7421,7441, 8421,8441), 8011, 8045, 8111, 8145, 8245, 10011, 10045, 10145
15		

Manufacturer of front loaders for all types of tractors.  
[www.agromasz.com.pl](http://www.agromasz.com.pl), [kontakt@agromasz.com.pl](mailto:kontakt@agromasz.com.pl)