



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

List of brackets for front loaders

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
1	ArmaTrac	1254 Lux CRD4 (with front 3 point linkage and PTO)	Ł-106 A	1650	3,9
2	Belarus/MTZ	320.4	Ł-103 S	400	2,55
3		422.4	Ł-107	800	3,15
4		82, 82.1, 820, 820.1, 820.2, 820.3,	Ł-106	1650	3,7
5		892, 892.1, 892.2, 892.3	Ł-106	1650	3,7
6		920, 920.1, 920.2, 952, 952.1, 952.2	Ł-106	1650	3,7
7		920.3, 920.4, 952.3, 952.4,	Ł-106 A	1650	3,9
8		1025, 1025.1, 1025.2, 1025.3, 1025.4	Ł-106 A	1650	3,6
9		1221, 1221.1, 1221.2, 1221.3, 1221.4	Ł-108	1650	4,3
10		Case	CX: 80, 90, 100	Ł-106	1650
11	Farmall A : 65A, 75 A (engine 4 cyl.)		Ł-104	1200	3,5
12	Farmall A: 85 A, 95 A, 105 A, 115 A		Ł-106	1650	3,7
13	JX : 60, 70 (engine 3 i 4 cyl.)		Ł-104	1200	3,55
14	JX: 80, 90, 95		Ł-106	1650	3,7
15	JXU : 1070, 1080, 1090, 1100, 75, 85, 95, 105, 115		Ł-106	1650	3,7
16	Maxxum : 100, 110		Ł-106 A	1650	3,9
17	Maxxum : 115, 125, 140		Ł-108	1650	4,3
18	MX: 100, 110, 120, 135		Ł-108	1650	4,3
19	5130, 5140, 5150 Maxxum		Ł-106 A	1650	3,9
20	Chery	RD 254	Ł-103 S	400	2,55
21		RK 504	Ł-103 D	600	2,75
22			Ł-107	800	3,15
23	Class	Arion 410	106 A	1650	3,9
24		Arion 610 CIS	108	1650	4,3
25	Deutz Fahr	3050, 3060	Ł-103 S	400	2,55
26		Agrokid: 220, 230	Ł-103 S	400	2,55
27		Agrolux : 310, 320, 65, 75 (ROPS and with Naglak cabin)	Ł-107A	1000	3,50
28		Agrolux : 410 (ROPS and with Naglak cabin)	Ł-107A	1000	3,50
29		Agroplus : 67 DT,	Ł-104	1200	3,55
30		Agroplus F: 310F, 315 F	Ł-107	800	3,15
31		Agroplus: 87	Ł-106	1650	3,7
32		Agroplus : 310, 315 , 320	Ł-104	1200	3,55
33		Agroplus Ecoline : 310 , 315, 320	Ł-104	1200	3,55
34		Agrofarm: 410 DT, 85 DT	Ł-106	1650	3,7
35		Agrofarm : 420 DT, 430 DT, 100 DT	Ł-106 A	1650	3,9
36		Agrofarm G : 410 , 430	Ł-106 A	1650	3,9
37		Agrotron K : 410, 420, 100	Ł-106 A	1650	3,9
38		Agrotron K: 610, 110	Ł-108	1650	4,3
39		Agrotron M: 600, 610 ,615, 620	Ł-108	1650	4,3
40		4E: 4070E, 4080E, 4090E (ROPS and with Naglak cabin)	Ł-107A	1000	3,50
41		4E stage V: 4070E, 4080E, 4090E, 4100E	Ł-107A	1000	3,50
42		5C : 5090C, 5100C, 5110C,5120C,	Ł-104	1200	3,55
43			Ł-106 A	1650	3,9
44		5D: 5085D	Ł-104	1200	3,55
45		5D Ecoline: 5080 Ecoline, 5090 Ecoline	Ł-104	1200	3,55
46			5090.4, 5100.4 Ecoline	Ł-104	1200
47		5D Keyline: 5070 D Keyline, 5080 D Keyline, 5090 D Keyline, 5100 D Keyline	Ł-107A	1000	3,50
48		5D Keyline stage V: 5070 D Keyline, 5080 D Keyline, 5090D Keyline, 5100 D Keyline	Ł-107A	1000	3,50
49		5G HD: 5090.4, 5105.4, 5115.4	Ł-106 A	1650	3,9

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
50	Deutz Fahr	5G MD: 5090.4, 5105.4, 5115.4	Ł-106 A	1650	3,9
51		5G T4F: 5100G, 5110G, 5110 G Plus, 5120 G	Ł-106 A	1650	3,9
52		5 (T4i) : 5100, 5110, 5120, 5130	Ł-106 A	1650	3,9
53		Seria 5 Stage V: 5095, 5105, 5115, 5125	Ł-106A	1650	3,9
54		5 T4F : 5105, 5115, 5125	Ł-106 A	1650	3,9
55		6130.4	Ł-106A	1650	3,9
56		5100.4	Ł-104	1200	3,55
57		Agrotron 6165	Ł-108	1650	4,3
58		6115 C (z silnikiem DF i FARMotion)	Ł-106A	1650	3,9
59	Dong Feng	254G2	Ł-103 S	400	2,55
60		404G2	Ł-103 S	400	2,55
61		504G3	Ł-103 D	600	2,75
62	Farmer	8244 C2	Ł-106	1650	3,7
63	Farmtraac	22 4WD, 26 4WD, 30 4WD (ROPS and with cabin VRM13	Ł-103 U	300	1,9
64		26H 4WD (ROPS and with SANAYI VRM13)	Ł-103 U	300	1,9
65		555, 555DT, Escort: 550, 550DT	Ł-103 D	600	2,75
66		555 DTC, 555 DTC V	Ł-107	800	3,15
67		535, 545, 545DT, 555, 555DT, Escort : 550, 550DT	Ł-107	800	3,15
68		665, 665DT, 70 2WD, 70 4WD,	Ł-104	1200	3,55
69		Heritage: 6050DT, 6060DT, 6075DT	Ł-107 A	1000	3,50
70		Heritage 6050 C	Ł-107 A	1000	3,50
71		Nets: 6050 Nets E (ROPS and with Bartesko cabin)	Ł-107 A	1000	3,50
72		670, 670DT,	Ł-104	1200	3,55
73		675 DT KING, 675DT, 675, 80 2WD, 80 4WD,	Ł-104	1200	3,55
74		FT 670 DT IIIB, FT 675 DT IIIB	Ł-104	1200	3,55
75		685DT , 690DT	Ł-106	1650	3,7
76		685DT IIIB, 690DT IIIB	Ł-106	1650	3,7
77		FT 680 DT V	Ł-106	1650	3,7
78		690DT IIIB PWR	Ł-106	1650	3,7
79		6100 DT V	Ł-106	1650	3,7
80		7100DT, 7110DT,	Ł-106 A	1650	3,9
81		7100DT IIIB, 7110DT IIIB	Ł-106 A	1650	3,9
82		9120 DTN	Ł-106 A	1650	3,9
83		9120 DT V	Ł-106 A	1650	3,9
84	Foton	TE 254	Ł-103 S	400	2,55
85		TE 354	Ł-103 Średni	400	2,55
86		TB 504, TB 404	Ł-107	800	3,15
87		TB 504, TB 404	Ł-103 Długi	600	2,75
88		604, 704	Ł-104	1200	3,55
89	824, 904	Ł-106	1650	3,7	
90	Iseki	TXGS 24	Ł-103 Krótki	200	1,85
91		TG 6490	Ł-103 Średni	400	2,55
92		TLE 3410 AL	Ł-103 Średni	400	2,55
93		TLE 4490, TLE 4550	Ł-107	800	3,15
94		TM 3217	Ł-103 Krótki	300	1,9
95		TM 3185, TM 3187	Ł-103 Krótki	300	2,55
96		TM 3267	Ł-103 Krótki	300	2,55
97	Hattat	A: 90, 100, 110	Ł-106	1650	3,7
98	John Deere	3E: 3036 E, 3038E (ROPS and with Naglak cabin)	Ł-103 Średni	400	2,55
99		3036 EN	103	300	1,9
100		4046R	Ł-103 Średni	400	2,55
101		1140	Ł-107	800	3,15
102		M : 5070M , 5080M , 5090M , 5100M (made in Germany)	Ł-106	1650	3,7

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
103	John Deere	R: 5080R , 5090R , 5100R (made in Germany)	Ł-106	1650	3,7
104		5M : 5085M, 5100M, 5115M (made in USA)	Ł-106A	1650	3,9
105		5R: 5090R, 5100R, 5115R, 5125R (made in USA)	Ł-106	1650	3,7
106		5E: 5050E, 5055E , 5065E , 5075E (mechanical dry clutch)	Ł-104	1200	3,55
			Ł-107 A	1000	3,5
107		5E: 5058E , 5067E , 5075E (2017 model electrohydraulic wet clutch)	Ł-107 A	1000	3,5
			Ł-104	1200	3,55
108		5E: 5083E , 5093E	Ł-106	1650	3,7
109		6 MC: 6090MC , 6100MC , 6110MC	Ł-106 A	1650	3,9
110		6 RC: 6090RC , 6100RC , 6110RC	Ł-106 A	1650	3,9
111		6D: 6100D, 6115D, 6130D	Ł-106 A	1650	3,9
112		6M : 6105 M, 6115M, 6125M (2013 model)	Ł-106 A	1650	3,9
113		6M : 6110M. 6120M, 6130M (model 2015 model)	Ł-106 A	1650	3,9
114		6M: 6090M, 6100 M, 6110M. 6120M (2020 model)	Ł-106 A	1650	3,9
115		6020, 6120, 6220, 6320, 6420	Ł-106 A	1650	3,9
116		5620, 5720, 5820	Ł-106	1650	3,7
117		6030 4 cyl : 6130, 6230, 6330, 6430	Ł-106 A	1650	3,9
118		6030 6 cyl.: 6530, 6630, 6830, 6930	Ł-108	1650	4,3
			Ł-110	2800	4,75
119		6520, 6620, 6920,	Ł-108	1650	4,3
			Ł-110	2800	4,75
120		7030 6 cyl: 7430, 7530	Ł-108	1650	4,3
			Ł-110	2800	4,75
121	6155M	Ł-108	1650	4,3	
122	6175R, 6195R	Ł-110	2800	4,75	
123	6175M, 6195M	Ł-110	2800	4,75	
124	Kioti	CK 2810	Ł-103 Krótki	200	1,85
125		CS 2610	Ł-103 Krótki	200	1,85
126		DK 4510	Ł-103 Krótki	300	1,9
127		DK 4510 with front 3 point linkage	Ł-103 Średni	400	2,55
128		RX 60.10	Ł-107	800	3,15
129		NX 6010	Ł-107	800	3,15
130	Kubota	B 1620, B 1820(ROPS and with Naglak cabin)	Ł-103 Krótki	200	1,85
131		B1 161, B1 181 (ROPS,with Naglak i Bartesko)	Ł-103 Krótki	200	1,85
132		B 2420 (ROPS)	Ł-103 Krótki	300	1,9
133		B 1241(ROPS i z kabiną Naglak)	Ł-103 Krótki	300	1,9
134		B 2350 HDB, B 2650 HDB	Ł-103 Krótki	300	1,9
135		B2-201, B2-231, B2-261 (ROPS, kabina Naglak i Kubota)	Ł-103 Krótki	300	1,9
136		BX 2350 (z kabiną Bartesko i ROPS)	Ł-103 Krótki	200	1,85
137		EK1 261 (ROPS and with cabin Naglak)	Ł-103 Krótki	300	1,9
138		BX: 231,261 (ROPS, with cabin Naglak, Bartesko,)	Ł-103 Krótki	200	1,85
139		L1-245	Ł-103 Krótki	300	1,9
140		L1-18	Ł-103 Krótki	300	1,9
141		ST 341, ST 401 (with Kubota and Bartesko cabin)	Ł-103 Średni	400	2,55
142		L 3200	Ł-103 Średni	400	2,55
143		L 1 361 (back ROPS, HST Bartesko)	Ł-103 Średni	400	2,55
145		L 1 382 (with Naglak cabin)	Ł-103 Średni	400	2,55
146		LX 351, LX 401 (ROPS and with Kubota cabin)	Ł-103 Średni	400	2,55
147		L1 421 (with Naglak cabin)	Ł-107	800	3,15
148		L2 501(with Naglak cabin)	Ł-107	800	3,15

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
149	Kubota	L1 452, L1 522, L1 552 (ROPS and with Naglak cabin, HST)	Ł-107	800	3,15
150		L1 501 (with Naglak cabin)	Ł-107	800	3,15
151		L2 602 (with Kubota cabin)	Ł-107	800	3,15
152		L5030, L 5040 (with Naglak cabin)	Ł-107	800	3,15
153		MK 5000	Ł-107	800	3,15
154		M Narrow: 7040	Ł-107	800	3,15
155		M 5 Narrow : M5071N, M5091N, M5101N	Ł-107A	1000	3,5
156		M: 6060, 7060, 6040, 7040 (with Kubota, Bartesko and Naglak cabin)	Ł-104	1200	3,55
157		M: 8560, 9960, 8540, 9540	Ł-106	1650	3,7
158		M: 105 S, 108 S	Ł-106	1650	3,7
159		MGX: 110	Ł-106	1650	3,7
160		MGX: 135	Ł-106A	1650	3,9
161		MGX - III: 115, 125, 135	Ł-106A	1650	3,9
162		MGX - IV: 95, 105	Ł-106A	1650	3,9
163		Me: 8200, 9000	Ł-104	1200	3,55
164		M 4002: M4062, M4072	Ł-104	1200	3,55
165		M 5001: M5091, M5111	Ł-106	1650	3,7
166		M6001: M6-101U, M6-111U	Ł-106A	1650	3,9
167		M6002: M6122, M6132, M6142	Ł-108	1650	4,3
168		M 7001: M7131, M7151, M7171	Ł-110 Pro	2800	4,75
169	M 7002: M7132, M7152, M7172	Ł-110 Pro	2800	4,75	
170	LTZ	T40	Ł-107A	1000	3,5
171	Lamborghini	Crono: 70, 80, 90, 100	Ł-107A	1000	3,5
172		Grand Prix : 90 DT,	Ł-106	1650	3,7
173		Lampo: 55W, 70W, 60D, 70D	Ł-104	1200	3,55
174		Nitro R: 90,100,110, 120	Ł-106 A	1650	3,9
175		R2: 60, 80	Ł-104	1200	3,55
176		Rekord: 65, 75 (ROPS and with Naglak cabin)	Ł-107A	1000	3,5
177		R2 Target: 56, 66	Ł-104	1200	3,55
178		R2 Target: 76,86	Ł-106	1650	3,7
179		R3 EVO: 85, 100, 110	Ł-106	1650	3,7
180		R3: 90,100	Ł-106 A	1650	3,9
181		R6:100, 110	Ł-106 A	1650	3,9
182		R6: 130, 140	Ł-106 A	1650	3,9
183		Strike HD: 90.4, 105.4,115.4	Ł-106 A	1650	3,9
184		Strike MD: 90.4, 105.4, 115.4	Ł-106 A	1650	3,9
185		Strike 4F: 100 MD, 110 MD, 110 HD, 120 HD	Ł-106 A	1650	3,9
186	Landini	Mistral : 50	Ł-103 Średni	400	2,55
187		Mistral : 55	Ł-103 Średni	400	2,55
188		Powerfarm: 60, 75	Ł-104	1200	3,55
189		Powerfarm: 100DT,110DT	Ł-106	1650	3,7
190		Powerfarm: 80DT, 85DT, 90DT, 95DT, 105DT	Ł-106	1650	3,7
191		Powermundial : 110, 115	Ł-106 A	1650	3,9
192		Rex: 70F, 80F	Ł-107	800	3,15
193		Technofarm: 70, 80	Ł-104	1200	3,55
194			Ł-107A	1000	3,5
195		Vision: 85, 95,105	Ł-106	1650	3,7
196		5 – 085	Ł-106	1650	3,7
197		6 RS: 6-135 RS, 6-145 RS, 6-155RS	Ł-108	1650	4,3
198		6L: 6L-145, 6L-160, 6L-175,	Ł-106A	1650	3,9

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
199		5H: 080, 090, 100, 110,115	Ł-106	1650	3,7
200	Lovol	M 504 stage V	Ł-107	800	3,15
201			Ł-103 Długi	600	2,75
202		M 504, TB 504	Ł-107	800	3,15
203		M 404 stage V	Ł-103 Długi	600	2,75
204		M 354, M 254	Ł-103 Średni	400	2,55
205		M 254 stage V	Ł-103 Średni	400	2,55
206		M 754 stage V	Ł-107A	1000	3,5
207		M1104 stage V	Ł-104	1200	3,55
208			Ł-106A	1650	3,9
209		LS	J : 23,27 HST	Ł-103 Krótki	300
210	R 38		Ł-103 Średni	400	2,55
211	R 41		Ł-103 Średni	400	2,55
212	XR 50, XR 50 HST		Ł-103 Średni	400	2,55
213	Mitsubishi	MT1800	Ł-103 Krótki	300	1,9
214		MT2000	Ł-103 Krótki	300	1,9
215		MT36	Ł-103 Średni	400	2,55
216	Massey Ferguson	4445, 4455	Ł-106	1650	3,7
217		4255	Ł-106A	1650	3,9
218		3060, 3065	Ł-106	1650	3,7
219		3070	Ł-106	1650	3,7
220		5460 Dyna 4	Ł-106 A	1650	3,9
221		6140	Ł-106	1650	3,7
222		6170	Ł-108	1650	4,3
223		698	Ł-106	1650	3,7
224		McCormick	CL : 65, 75 , 70, 80	Ł-104	1200
225	CXL: 65, 75, 85		Ł-104	1200	3,55
226	CXL : 70, 80		Ł-107A	1000	3,5
227			Ł-104	1200	3,55
228	CMax: 60, 75		Ł-104	1200	3,55
229	CMax: 80, 85, 90, 95, 105		Ł-106	1650	3,7
230	CMax: 100, 110		Ł-106	1650	3,7
231	CX: 90, 95, 100, 105		Ł-106	1650	3,7
232	CX: 110		Ł-106 A	1650	3,9
233	F: 70, 80, 90 (with 1 fuel tank)		Ł-107	800	3,15
234	GM : 50		Ł-103 Średni	400	2,55
235	GM : 55		Ł-103 Średni	400	2,55
236	GMax: 125, 135		Ł-106 A	1650	3,9
237	GMax: 145, 165		Ł-108	1650	4,3
238	MC : 115		Ł-106	1650	3,7
239	MC : 120, 135		Ł-108	1650	4,3
240	MTX Beta Power: 120, 135, 150		Ł-108	1650	4,3
241	X4: 4.35, 4.50, 4.60, 4.70		Ł-106	1650	3,7
242	X 60: 60.20, 60.30, 60.40, 60.50		Ł-106 A	1650	3,9

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]	
243	New Holland	Boomer : 20, 25	Ł-103 Krótki	300	1,8	
244		Boomer: 30, 35	Ł-103 Średni	400	2,55	
245		Boomer: 40, 50	Ł-103 Średni	400	2,75	
246		Boomer 50 TMR	Ł-103 Średni	400	2,75	
247		Boomer Stage V: 45, 50, 55	Ł-103 Średni	400	2,75	
248		T 3000: T 3020, T 3030, T 3040	Ł-103 Średni	400	2,55	
249		T3. F: T3.50F, T3.55F, T3.65F, T375F	Ł-103 Średni	400	2,55	
250		T : T 4020, T 4030, T 4040, T 4050	Ł-104	1200	3,55	
251		T : T 5030, T 5040, T 5050, T 5060, T 5070	Ł-106	1650	3,7	
252		T: T 6010, T 6020 (Delta / Plus)	Ł-106 A	1650	3,9	
253		T : T 6030, T 6050	Ł-108	1650	4,3	
254		T : T 6030,T 6050, T 6070 Plus	Ł-108	1650	4,3	
255		TD : TD 60, TD70 (D i D PLUS)	Ł-104	1200	3,55	
256		TD: TD 80 ,TD 85, TD 90, TD 95 (D i D PLUS)	Ł-106	1650	3,7	
257		TDF:TD4020F, TD4030F, TD4040F (ROPS and with DF cab.)	Ł-107	800	3,15	
258		TD.4F: TD4.80F, TD4.90F, TD4.100F	Ł-107	800	3,15	
259		TD : 5010, 5020	Ł-104	1200	3,55	
260		TD : 5030, 5040, 5050	Ł-106	1650	3,7	
261		TD 3.50 wersja 2007r i 2015r	Ł-107	800	3,15	
262		TD 5.: 65,75	Ł-104	1200	3,55	
263		TD 5.: 85, 95, 105, 115 Tier IVA	Ł-106	1650	3,7	
264		TL : TL80, TL90, TL100	Ł-106	1650	3,7	
265		TLA: TL80A, TL90A, TL 100A	Ł-106 A	1650	3,9	
266		TT: 55; 65, 75	Ł-107	800	3,15	
267		T4S: 55S, 65S, 75S	Ł-107A	1000	3,5	
268		T4 (Power Star Tier 4B): T4.55, T4. 65, T4.75	Ł-104	1200	3,55	
269		T4. (Power Star Tier 3 i Tier 4A):T4.75,T4.85,T4. 95	Ł-104	1200	3,55	
270		T4.:75, 85, 95,105 (HiLo)	Ł-106	1650	3,7	
271		T4.N IVA: T4.80N, T4.90N, T4.100N, T4.110N	Ł-107A	1000	3,5	
272		T5 Electro Command : T5.100, T5.110, T5.120	Ł-106 A	1650	3,9	
273		T5 Electro Command V: T5.100, T5.110, T5.120	Ł-106 A	1650	3,9	
274		T5 :T5.95, T5.105,T5.115	Ł-106 A	1650	3,9	
275		T5 Dynamic Command: T5.110, T5.120 T5.130, T5.140, T5 Auto Command: T5.110, T5.120 T5.130, T5.140	Ł-106 A	1650	3,9	
276		T5S: T5.90 S, T5.100 S	Ł-106	1650	3,7	
277		T5 Utility: T5.75,T5.85, T5.95, T5.105, T5.115 (welded and cast front axel bracket)	Ł-106	1650	3,7	
278		T5 Utilitty Stage V:T5.80, T5.90, T5.100, T5.110, T5.120	Ł-106 A	1650	3,9	
279		T6.: T6.120,T6.140,T6.150,T6.160 (4 cyl.)	Ł-106 A	1650	3,9	
280		T7 Stage V: T7.195S, T7.215S	Ł-110	2800	4,75	
281		T6 4B: 125S, 145, 155, 165, 175 (version Deluxe 4 cyl.)	Ł-106 A	1650	3,9	
282			Ł-108	1650	4,3	
283		T6.4B :160, 180 (6 cyl.) (also with front 3 point linkage)	Ł-108	1650	4,3	
284		T6.: 155, 165, 175 (engine 6 cyl. 2012-2017)	Ł-108	1650	4,3	
285		T7.: 170, 185, 200,210 (also with front 3 point linkage)	Ł-108	1650	4,3	
286		T7SWB Stage V :T7.165 S, T7.175, T7.190, T7.210	Ł-110	2800	4,75	
287		T7 Stage V: T7.195S, T7.215S	Ł-110	2800	4,75	
288		70-56 BIS	Ł-104	1200	3,55	
289		Pronar	82	Ł-106	1650	3,7

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
290	Pronar	82A, 82 SA, 82 TSA, (front axle Carraro)	Ł-106 A	1650	3,9
291		82 SA II,	Ł-106 A	1650	3,9
292		1025A	Ł-106 A	1650	3,9
293		1221A	Ł-108	1650	4,3
294	Pol-Mot	H: 8014 , 9014, 10014	Ł-106	1650	3,7
295	Same	Argon: 70, 80, 90, 100	Ł-107A	1000	3,5
296		Dorado: 56, 66, 60, 80	Ł-104	1200	3,55
297		Dorado: 76, 86	Ł-106	1650	3,7
298		Dorado 90.4	Ł-106	1650	3,7
299		Explorer : 90 Top II	Ł-106	1650	3,7
300		Explorer HD DT LS: 90.4, 105.4, 115.4	Ł-106 A	1650	3,9
301		Explorer MD DT LS : 90.4, 105.4, 115.4	Ł-106 A	1650	3,9
302		Exprorer 4F: 100 MD, 110 MD, 110HD, 120 HD	Ł-106 A	1650	3,9
303		Explorer³: 90, 105	Ł-106 A	1650	3,9
304		Explorer³: 85 DT, 100 DT, 110 DT	Ł-106	1650	3,7
305		Tiger: 65,75 (ROPS and with Naglak cabin)	Ł-107 A	1000	3,5
306		Roller: 55 W, 60, 70D, 70 W	Ł-104	1200	3,55
307		Virtus J: 90,100,110,120	Ł-106 A	1650	3,9
308		Solis	16 stage V	Ł-103 krótki	300
309	20 (ROPS and Bartesko cabin)		Ł-103 krótki	300	1,9
310	22 ROPS. 22 stage V ROPS		Ł-103 krótki	300	1,9
311	26 (ROPS, with Bartesko and Naglak cabin)		Ł-103 krótki	300	1,9
312	26 HST ROPS		Ł-103 krótki	300	1,9
313	26 9+9 ROPS		Ł-103 krótki	300	1,9
314	50 (8+2) (ROPS and with Solis cabin)		Ł-107	800	3,15
315	50 (12+12) (ROPS and with Solis cabin)		Ł-107	800	3,15
316	50 Shuttle XL stage V		Ł-107	800	3,15
317	75 NT CRDI, 90 NT CRDI (with Solis cabin)		Ł-107 A	1000	3,5
318	90 CRDI (with Solis cabin)		Ł-106	1650	3,7
319	90 4WD V (with Solis cabin)	Ł-106	1650	3,7	
320	Steyer	Kompakt: 4085,4095,4105	Ł-106	1650	3,7
321	Tavol	254	Ł-103 S	400	2,55
322	TYM	T : 433,503	Ł-107	800	3,15
323		T : 603	Ł-107	800	3,15
324		T : 903, 1003	Ł-106	1650	3,7
325	Ursus	C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134	Ł-106	1650	3,7
326		3724 , 4024, 3512, 3514	Ł-107	800	3,15
327		5024, 4512, 4514, 5312, 5314, 5714, 6012, 6014	Ł-104	1200	3,55
328		H: 8014, 9014, 10014	Ł-106	1650	3,7
329		5524, 6824	Ł-106	1650	3,7
330		7524,	Ł-106	1650	3,7
331		1201, 1204, 1212, 1214, 1222, 1224, 1232, 1234, 1434, 1614, 1634,1734	Ł-108	1650	4,3
332		C 3110	Ł-108	1650	4,3
333	Władymirec	T25	Ł-103 średni	400	2,55
334	Valtra	A93	Ł-106	1650	3,7
335		A92	Ł-106	1650	3,7
336		A 104	Ł-106	1650	3,7



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Recommended front loader	Lifting capacity [kg]	Lifting height [m]
337	Valtra	N 82, N92	Ł-106	1650	3,7
338	Yanmar	F 215	Ł-103 krótki	300	1,85
339		AF 310	Ł-103 średni	400	2,55
340	YTO	SG: 254 (ROPS and with cabin)	Ł-103 średni	400	2,55
341		SG: 354 (ROPS and with cabin)	Ł-103 średni	400	2,55
342		MF: 504	Ł-107	800	3,15
343		NMF554C, NMF604C, NMF704C	Ł-107	800	3,15
344		Zetor	Forterra: 100, 110,120, 130, 95, 105, 115,125, 8641, 9641, 10641, 11441	Ł-106 A	1650
345		Major 80,	Ł-104	1200	3,55
346		Proxima : 65, 70, 75, 80 ,6421, 6441,7421,7441,	Ł-104	1200	3,55
347		Proxima: 90, 100, 85, 95, 8421, 8441	Ł-106	1650	3,7
348		Proxima (90,100,110) Plus	Ł-106	1650	3,7
349		Proxima HS: 80,90, 100, 110,120	Ł-106	1650	3,7
350		Proxima CL: 80,90, 100, 110,	Ł-106	1650	3,7
351		Proxima (90,100,110, 120) Power	Ł-106	1650	3,7
352		4320, 4340, 5320, 5340,6320,6340,7320, 7340	Ł-104	1200	3,55
353		5341 , 7341	Ł-104	1200	3,55
354		8011, 8045, 8111, 8145, 8245, 1011, 10045, 10145	Ł-106	1650	3,7
355		8540, 9540, 10540	Ł-106 A	1650	3,9
356		12111, 12145, 16145, 16245 ZTS	Ł-108	1650	4,3
357	Zoomlion	RD 254	Ł-103 Średni	400	2,55
358		RK-504 (with upward and downward exhaust)	Ł-103 Długi	600	2,75
359				Ł-107	800

List of brackets for tractors for mounting front 3 point linkages.

No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Hooks category
1	Belarus / MTZ	82, 82.1, 820, 820.1, 820.2, 820.3,	PT-1	1000	II
2		82, 82.1, 820, 820.1, 820.2, 820.3,	PT-2	2000	II
3		892, 892.1, 892.2, 892.3			
4		920, 920.1, 920.2, 952, 952.1, 952.2			
5		920.3, 920.4, 952.3, 952.4,			
6		1025, 1025.1, 1025.2, 1025.3, 1025.4			
7		1221,1221.1, 1221.3, 1221.4	PT-2 lub PT-3	2000/3000	II
8	Chery	RD 254	PT-0,5	500	I i II
9		RK 504	PT-1	1000	II
10	Deutz Fahr	Agrokid: 220,230	PT-0,5	500	I i II
11		3050, 3060	PT-0,5	500	I i II
12		4E: 4070E, 4080E, 4090E, 4100E	PT-2	2000	II
13		Agrolux: 410	PT-1	1000	II
14		Agrolux: 310, 320, 65, 75	PT-1	1000	II
15		5C : 5090C, 5100C, 5110C,5120C,	PT-2 lub PT-3	2000/3000	II
16		5D: 5080 D Ecoline, 5090 D Ecoline	PT-2	2000	II

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Hooks category
17	Deutz Fahr	5D Keyline: 5070 D Keyline, 5080 D Keyline, 5090 D Keyline, 5100 D Keyline	PT-2	2000	II
18		5G HD: 5090.4, 5105.4, 5115.4	PT-2 lub PT-3	2000/3000	II
19		5G MD: 5090.4, 5105.4, 5115.4	PT-2 lub PT-3	2000/3000	II
20		5G 4F: 5100G, 5110G, 5110 G Plus, 5120 G	PT-2 lub PT-3	2000/3000	II
21		5 T4F : 5105, 5115, 5125	PT-2 lub PT-3	2000/3000	II
22		5 T4i: 5100, 5110, 5120, 5130	PT-2 lub PT-3	2000/3000	II
23		Seria 5 Stage V: 5095, 5105, 5115, 5125	PT-2 lub PT-3	2000/3000	II
24	Dong Feng	254G2	PT-0,5	500	I and II
25		404G2	PT-1	1000	II
26	Farmtrac	22 4WD, 26 4WD, 30 4WD	PT-0,3	300	I
27		555, 555 DT	PT-1	1000	II
28		Escort: 550, 550 DT	PT-1	1000	II
29		Heritage: 6050 DT, 6060DT, 6075DT	PT-2	2000	II
30		Heritage 6050 Cross	PT-2	2000	II
31		675DT, 675 DT KING	PT-2	2000	II
32		670 DT IIIB, 675 DT IIIB	PT-2	2000	II
33		685 DT, 690DT, 685 IIIB	PT-2	2000	II
34		680 DTn IIIB	PT-2	2000	II
35		680 DT V	PT-2	2000	II
36		6100 DT V	PT-2	2000	II
37		7100 DT, 7110 DT,	PT-2 lub PT-3	2000/3000	II
38		7100 DT III B, 7110 DT IIIB	PT-2 lub PT-3	2000/3000	II
39		9120 DTN	PT-2 lub PT-3	2000/3000	II
40		9120 DT V	PT-2 lub PT-3	2000/3000	II
41	Foton	TE: 254, 354	PT-0,5	500	I and II
42		TB: 504	PT-1	1000	II
43	Hattat	A: 90, 100, 110	PT-2	2000	II
44	Iseki	TG 6490	PT-0,5	500	I and II
45		TLE 4490, TLE 4550	PT-1	1000	II
46		TLE 3410 AL	PT-0,5	500	I and II
47		TM 3217	PT-0,3	300	I
48		TM 3185, TM 3187	PT-0,3	300	I
49	John Deere	3E: 3036E, 3038E (ROPS and with Naglak cabin)	PT-0,5	500	I and II
50		BX 2350	PT-0,3	300	I
51		5E: 5050E, 5055E, 5065E, 5075E (2007 model mechanical dry clutch)	PT-1	1000	II
52		5E: 5058E, 5067E, 5075E (2017 model elektro-hydraulic wet clutch)	PT-1	1000	II
53		6 MC: 6090, 6100, 6110 6 RC: 6090, 6100, 6110	PT-3	3000	II
54		5R: 5090R, 5100R, 5115R, 5125R (USA)	PT-2	2000	II
55		6155M	PT-3	3000	II
56	Kubota	EK1 -261	PT-0,3	300	I
57		L1-18	PT-0,3	300	I
58		L1-245	PT-0,3	300	I

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Hooks category
59	Kubota	B 1620, B 1820	PT-0,3	300	I
60		B1161, B1181	PT-0,3	300	I
61		BX 231,261	PT-0,3	300	I
62		B 2420	PT-0,3	300	I
63		B 1241	PT-0,3	300	I
64		B 2311	PT-0,3	300	I
65		L 1361(ROPS and with Bartesko cabin)	PT-0,5	500	I and II
66		LX 401	PT-0,5	500	I and II
67		L1 421	PT-1	1000	II
68		L1 501	PT-1	1000	II
69		L1 452, L1 522, L1 552 (ROPS and with Naglak cabin, HST)	PT-1	1000	II
70		L2 602	PT-1	1000	II
71		M: 6060, 7060	PT-2	2000	II
72		M: 8560,9960	PT-2	2000	II
73		M6002: M6122, M6132, M6142	PT-3	3000	II
74		MGX - III: 115, 125, 135	PT-2 lub PT-3	2000/3000	II
75		M: 110 GX, 135GX	PT-2 lub PT-3	2000/3000	II
76		MGX - IV: 95, 105	PT-2 lub PT-3	2000/3000	II
77		M 5001: M5091, M5111	PT-2 lub PT-3	2000/3000	II
78		M 4002 : 4062, 4072	PT-2	2000	II
79	5M Narrow : M5071N, M5091N, M5101N	PT-2	2000	II	
80	Kioti	CK 2810	PT-0,3	300	I
81		DK 4510	PT-1	1000	I
82		NX6010	PT-1	1000	II
83	Landini	6L: 6L-145, 6L-160, 6L-175,	PT-3	3000	II
84	Lamborghini	Crono: 70, 80, 90, 100	PT-1	1000	II
85		Record: 65, 75	PT-1	1000	II
86		Strike MD: 90.4, 105.4, 115.4	PT-2 lub PT-3	2000/3000	II
87		Strike 4F: 100 MD,110MD,110 HD,120HD	PT-2 lub PT-3	2000/3000	II
88		Nitro R: 90,100,110, 120	PT-2 lub PT-3	2000/3000	II
89	Lovol	M254 stage V	PT-0,5	500	I and II
90		M404 stage V	PT-0,5	500	I and II
91		M504 stage V	PT-1	1000	II
92		M 354	PT-0,5	500	I and II
93		TB 504	PT-1	1000	II
94		M 504	PT-1	1000	II
95	LS	XR 50, XR 50 HST	PT-0,5	500	I and II
96		R 38	PT-0,5	500	I and II
97	McCormick	X4.35	PT-2	2000	II
98	Mitsubishi	MT 36	PT-0,3	300	I
99		MT266	PT-0,5	500	I and II
100	New Holland	Boomer 50 TMR	PT-0,5	500	I and II
101		Boomer Stage V: 45, 50, 55	PT-0,5	500	I and II

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
ul. Lubelska 42B 11-700 Mrągowo
tel. fax (089) 741-21-92 NIP 742-000-20-67

No	Brand	Model	Type of front 3 point linkage	Lifting capacity [kg]	Hooks category
102	New Holland	TD.4F: TD4.80F, TD4.90F, TD4.100F	PT-1	1000	II
103		T4S: 55S, 65S, 75S	PT-1	1000	II
104		T5 Electro Command : T5.100, T5.110, T5.120	PT-2 lub PT-3	2000/3000	II
105		TD 5.: 85, 95, 105, 115 Tier IVA	PT-2 lub PT-3	2000/3000	II
106		T5 Utility: T5.75	PT-2	2000	II
107		T5S: T5.90S, T5.100S	PT-3	3000	II
108		T5 Utility: T5.85, T5.95, T5.105, T5.115	PT-2 lub PT-3	2000/3000	II
109		T5 Utility Stage V: T5.80, T5.90, T5.100, T5.110, T5.120	PT-2 lub PT-3	2000/3000	II
110		T6. 155, 165, 175 (6 cyl.)	PT-3	3000	II
111		T6 4B: 125, 145, 155, 165, 175 (4 cyl.)	PT-3	3000	II
112		T6 4B: 160, 180 (6 cyl.)	PT-3	3000	II
113		Same	Argon: 70, 80, 90, 100	PT-1	1000
114	Tiger: 65, 75		PT-1	1000	II
115	Explorer HD DT LS: 90.4,105.4, 115.4		PT-2 lub PT-3	2000/3000	II
116	Explorer MD DT LS: 90.4,105.4, 115.4		PT-2 lub PT-3	2000/3000	II
117	Explorer 4f: 100MD, 110MD, 110HD, 120HD		PT-2 lub PT-3	2000/3000	II
118	Virtus J: 90,100,110,120		PT-2 lub PT-3	2000/3000	II
119	Solis	16 stage V	PT-0,3	300	I
120		20, 26 (ROPS and with Bartesko cabin)	PT-0,3	300	I
121		22, 22 stage V	PT-0,3	300	I
122		26 (ROPS and with Bartesko cabin)	PT-0,3	300	I
123		26 HST	PT-0,3	300	I
124		26 9+9	PT-0,3	300	I
125		50 Shuttle XL Stage V	PT-2	2000	II
126		75 NT CRDI/ 90 NT CRDI	PT-1	1000	II
127		90 CRDI	PT-2	2000	II
128		90 XL V	PT-2	2000	II
129	Tavol	254	PT-0,5	500	I and II
130	Ursus	C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134	PT-2	2000	II
131		1201, 1204, 1212, 1214, 1222, 1224, 1232, 1234, 1434, 1614,	PT-2 lub PT-3	2000/3000	II
132		H: 8014, 9014, 10014	PT-2	2000	II
133	YTO	SG 254 (ROPS and with YTO cabin)	PT-0,5	500	I and II
134		SG 354 (ROPS and with YTO cabin)	PT-0,5	500	I and II
135		MF: 504	PT-1	1000	II
136		NMF 554,604,704 C	PT-1	1000	II
137	Zetor	8011, 8045, 8111, 8145, 8245, 10011, 10045, 10145	PT-2	2000	II
138		12111, 12145, 16145	PT-2 lub PT-3	2000/3000	II
139		Proxima CL: 80, 100, 110, 120	PT-2	2000	II
140		5340,6340,7340	PT-2	2000	II
141	Zoomlion	RD 254	PT-0,5	500	I and II
142		RK -504	PT-1	1000	II

Manufacturer of front loaders for all types of tractors.
www.agromasz.com.pl, kontakt@agromasz.com.pl



ZAKŁAD METALOWY „AGROMASZ”
 ul. Lubelska 42B 11-700 Mrągowo
 tel. fax (089) 741-21-92 NIP 742-000-20-67

List of brackets for tractors for mounting front bulldozers T354

l.p.	Marka ciągnika	Model ciągnika
1	Belarus	82, 82.1, 820, 820.1, 892, 892.1, 920, 920.1, 920.2, 952, 952.1, 952.2
2	Case	JX (60,70,80)
3	Deutz Fahr	Agroplus (310, 315, 320)
4	Farmtrac	545, 545 DT, 555, 555 DT
5		670, 670DT
6		675, 675DT, 802WD, 804WD
7		685DT, 690DT,
8	Lamborghini	R2 (60,80)
9	Massey Ferguson	255
10	Pronar	82, 82A, 82SA, 82TSA
11	New Holland	TD (5010,5020,5030)
12	Same	Dorado (60,80)
13	Ursus	3512, 5524, 6824, C-385, 902, 904, 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1044, 1132, 1134
14	Zetor	Major 80, Proxima (70,80,90,100,65,75,85,95,6421,6441,7421,7441,
15		8421,8441), 8011, 8045, 8111, 8145, 8245, 10011, 10045, 10145